LACANCHE RETAIL PRICE LIST DECEMBER 2025



www.lacanche.co.uk



Serious Cookers for Serious Cooks™

12-2025

CONTENTS

2 **DELIVERY TERMS, CONDITIONS AND COSTS**

Lacanche *Classic* Range Cookers

4	CORMATIN	700mm
5	RULLY	700mm
6	BEAUNE	900mm
7	BUSSY	900mm
8	CLUNY	1000mm
9	MACON	1000mm
10	VOLNAY	1000mm
11	VOUGEOT	1000mm
12	SAULIEU	1105mm
13	SAVIGNY	1105mm
14	CHARLIEU	1405mm
16	CHABLIS	1405mm
18	CHAUSSIN	1405mm
20	CHEMIN	1405mm
22	CHALONNAIS	1405mm
24	CITEAUX	1505mm
26	FLAVIGNY	1805mm
28	AVALON	1805mm
30	BLIGNY	1805mm
32	BELMONT	1805mm
34	VEZELAY	2205mm

Lacanche *Modern* Range Cookers

38	CORMATIN	700mm
39	RULLY	700mm
40	BEAUNE	900mm
41	BUSSY	900mm
42	CLUNY	1000mm
43	MACON	1000mm
44	VOLNAY	1000mm
45	VOUGEOT	1000mm
46	SAULIEU	1105mm
47	SAVIGNY	1105mm
48	CHARLIEU	1405mm
50	CHABLIS	1405mm
52	CHAUSSIN	1405mm
54	CHEMIN	1405mm
56	CHALONNAIS	1405mm
58	CITEAUX	1505mm
60	FLAVIGNY	1805mm
62	AVALON	1805mm
64	BLIGNY	1805mm
66	BELMONT	1805mm
68	VEZELAY	2205mm

Lacanche *Classic* and *Modern* Accessories

70 WALL MOUNTED SALAMANDER GRILL & ROTISSERIE
73 HOB ACCESSORIES
74 MULTI COOKER ACCESSORIES
75 OVEN ACCESSORIES

Lacanche *Classic* and *Modern* Extraction

78 BRASSIRIE HOOD
80 MODERNE HOOD
82 CLASSIC HOOD
83 LOW PROFILE / CONTEMPORARY HOOD / CLASSIC ECONOMY HOOD / BISTRO HOOD
84 BUILT IN / SLIMLINE AND CANOPY HOODS

Lacanche Backsplash and Utensil Racks

88 BACKSPLASH - Classic / Classic & Modern
89 UTENSIL RACK / BACK INFILL PANELS

90 EXTRACTION - Ducting
91 OVEN CAPACITIES AND INTERIOR DIMENSIONS
92 LACANCHE COLOURS & TRIMS
94 TERMS AND CONDITIONS OF SALE AND SUPPLY
96 UNIQUE COOKER BUILDER FROM LACANCHE

DELIVERY TERMS, CONDITIONS AND COSTS

Prices quoted in this Price List include VAT and standard Fourneaux de France Delivery, which is defined as follows:

Standard Fourneaux de France delivery is by a two man delivery team by an Fourneaux de France approved delivery company to a ground floor location, unpackaged for inspection. Delivery driver will take instructions regarding specific positioning of appliance from responsible people on site (e.g. house owner, tradesman).

Delivery is subject to accurate completion of an Fourneaux de France delivery form which will be provided on receipt of order. When completing the from please include all detail of any steps, corners, stairs, floor surfaces, access and turning circles or other restrictions. Failure to notify these may result in non-delivery and additional charges.

In the event of unforeseen access problems or Health and Safety related problems, it remains at the Driver's discretion to refuse delivery.

Re-delivery due to provision of inaccurate or incomplete information or at the recipient's fault will be chargeable.

Door widths of property should be a minimum of 735 mm to allow access of your range. Please be sure to advise us of any hindrances or obstructions e.g., even a single step or change in level, or narrow passageways.

Deliveries are made at any time during the day from 8.00am to 8.00pm.

Old appliances will not be removed. The delivery survey below will need to be completed and received in order for delivery to take place by Fourneaux de France.

Additional delivery costs maybe charged for delivery to Highlands of Scotland, Northern Ireland and UK Islands - POA.

Please note prices shown do not include any additional lifting equipment.

ANY ADDITIONAL PERSONS REQUIRED/DELIVERY REQUIREMENT WILL BE CHARGED AS PER BELOW

Code		Guide Price £ Inc VAT
DEL 5	Hood Delivery (if separate)	108
DEL 6	Additional 1 man for standard delivery	168
SVC	Small Van Cost	204
SS 1	Site Survey	175
	Highlands of Scotland, Northern Ireland and UK Islands	**POA**



LACANCHE *Classic* RANGE COOKERS

Lacanche Macon in Black enamel with Chrome trim
Kitchen Furniture by Lewis Alderson & Co www.lewisalderson.com





Classic hob 3 burners
(LG)



Classic hob 4 burners
(LG)



Traditional hob 3 burners
(5kW burner under simmer plate)
(LCF)



Induction hob 3 rings
(LVI)

STEP 1. Select main hob top and oven.

	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
 1 x 70L	☐ LG 731 G	4,920	☐ LG 741 G	4,990	☐ LCF 731 G	5,110		
 1 x 67L	☐ LG 731 CT	5,230	☐ LG 741 CT	5,230	☐ LCF 731 CT	5,230	☐ LVI 731 CT	6,310

STEP 1. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify .....

Trims	**Code**		
Brass	☐	LF 701	£0
Chrome	☐	LF 701 CR	£0
Chrome matt	☐	LF 701 CM	£0
Brushed steel	☐	LF 701 S	£0
Nickel	☐	LF 701 N	£0

Nature of gas	**Code**	
LPG Gas	☐	LPG
Natural Gas	☐	NG
Voltage	☑	230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm	☐	**LRF 7-900** **£0**
Plinth for height 915mm to 929mm	☐	LRF 7-915 £320
Plinth for height 930mm to 944mm	☐	LRF 7-930 £335
Plinth for height 945mm to 959mm	☐	LRF 7-945 £360
Plinth for height 960mm to 974mm	☐	LRF 7-960 £465





Classic hob 3 burners
(LG)



Classic hob 4 burners
(LG)



Traditional hob 3 burners
(5kW burner under simmer plate)
(LCF)

STEP 1. Select main hob top and oven.

	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
 1 x 27L  1 x 67L	☐ LG 732 CT	5,950	☐ LG 742 CT	6,100	☐ LCF 732 CT	6,150

STEP 2. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....

Trims	**Code**		
Brass	☐	LF 702	£0
Chrome	☐	LF 702 CR	£0
Chrome matt	☐	LF 702 CM	£0
Brushed steel	☐	LF 702 S	£0
Nickel	☐	LF 702 N	£0

Nature of gas	**Code**	
LPG Gas	☐	LPG
Natural Gas	☐	NG
Voltage	☑	230 V

Cooker Height	**Code**		
Plinth Standard 900mm to 914mm	☐	**LRF 7-900**	**£0**
Plinth for height 915mm to 929mm	☐	LRF 7-915	£320
Plinth for height 930mm to 944mm	☐	LRF 7-930	£335
Plinth for height 945mm to 959mm	☐	LRF 7-945	£360
Plinth for height 960mm to 974mm	☐	LRF 7-960	£465





Classic hob 6 burners
(LG)



Induction hob 6 rings
(LVI)

STEP 1. Select main hob top and oven.

		Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 52L + 1 x 65L		☐ LG 962 GCT-D	6,140		
1 x 56L + 1 x 65L		☐ LG 962 ECT-D	6,160	☐ LVI 962 ECT-D	6,860
1 x 51L + 1 x 65L		☐ LG 962 CT-D	6,260	☐ LVI962CT-D	6,970

STEP 2. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....

Trims	**Code**	
Brass	☐ LF 902	£0
Chrome	☐ LF 902 CR	£0
Chrome matt	☐ LF 902 CM	£0
Brushed steel	☐ LF 902 S	£0
Nickel	☐ LF 902 N	£0

Nature of gas	**Code**
LPG Gas	☐ LPG
Natural Gas	☐ NG
Voltage	☑ 230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm	☐ **LRF 9-900**	**£0**
Plinth for height 915mm to 929mm	☐ LRF 9-915	£320
Plinth for height 930mm to 944mm	☐ LRF 9-930	£335
Plinth for height 945mm to 959mm	☐ LRF 9-945	£360
Plinth for height 960mm to 974mm	☐ LRF 9-960	£465





Classic hob 6 burners
(LG)



Induction hob 6 rings
(LVI)

STEP 1. Select main hob top and oven.

		Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 65L + 1 x 52L		☐ LG 962 GCT-G	6,140		
1 x 65L + 1 x 56L		☐ LG 962 ECT-G	6,160	☐ LVI 962 ECT-G	6,860
1 x 65L + 1 x 51L		☐ LG 962 CT-G	6,260	☐ LVI 962 CT-G	6,970

STEP 2. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....

Trims	**Code**	
Brass	☐ LF 902	£0
Chrome	☐ LF 902 CR	£0
Chrome matt	☐ LF 902 CM	£0
Brushed steel	☐ LF 902 S	£0
Nickel	☐ LF 902 N	£0

Nature of gas	**Code**
LPG Gas	☐ LPG
Natural Gas	☐ NG
Voltage	☑ 230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm	☐ **LRF 9-900**	**£0**
Plinth for height 915mm to 929mm	☐ LRF 9-915	£320
Plinth for height 930mm to 944mm	☐ LRF 9-930	£335
Plinth for height 945mm to 959mm	☐ LRF 9-945	£360
Plinth for height 960mm to 974mm	☐ LRF 9-960	£465





Classic hob 5 burners
(LG)



Traditional hob 5 burners
(5kW burner under simmer plate)
(LCF)



Induction hob 5 rings
(LVI)

STEP 1. Select main hob top and oven.

		Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 52L	1 x 52L	☐ LG 1052 G	5,860	☐ LCF 1052 G	6,050		
1 x 52L	1 x 56L	☐ LG 1052 GE	5,880	☐ LCF 1052 GE	6,080		
1 x 56L	1 x 56L	☐ LG 1052 EE	5,910	☐ LCF 1052 EE	6,100	☐ LVI 1052 EE	7,090
1 x 52L	1 x 51L	☐ LG 1052 GCT	5,950	☐ LCF 1052 GCT	6,140		
1 x 56L	1 x 51L	☐ LG 1052 ECT	5,980	☐ LCF 1052 ECT	6,180	☐ LVI 1052 ECT	7,140
1 x 51L	1 x 51L	☐ LG 1052 CT	6,150	☐ LCF 1052 CT	6,330	☐ LVI 1052 CT	7,240

STEP 2. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....

Trims	**Code**	
Brass	☐ LF 1052	£0
Chrome	☐ LF 1052 CR	£0
Chrome matt	☐ LF 1052 CM	£0
Brushed steel	☐ LF 1052 S	£0
Nickel	☐ LF 1052 N	£0

Nature of gas	**Code**
LPG Gas	☐ LPG
Natural Gas	☐ NG
Voltage	☑ 230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm	☐ **LRF 10-900**	**£0**
Plinth for height 915mm to 929mm	☐ LRF 10-915	£320
Plinth for height 930mm to 944mm	☐ LRF 10-930	£335
Plinth for height 945mm to 959mm	☐ LRF 10-945	£360
Plinth for height 960mm to 974mm	☐ LRF 10-960	£465





Classic hob 5 burners
(LG)



Traditional hob 5 burners
(5kW burner under simmer plate)
(LCF)



Induction hob 5 rings
(LVI)

STEP 1. Select main hob top and oven.

			Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 20L	1 x 56L	1 x 52L	☐ LG 1053 GE	6,330	☐ LCF 1053 GE	6,510		
1 x 20L	1 x 56L	1 x 56L	☐ LG 1053 EE	6,380	☐ LCF 1053 EE	6,570	☐ LVI 1053 EE	7,720
1 x 20L	1 x 51L	1 x 52L	☐ LG 1053 GCT	6,470	☐ LCF 1053 GCT	6,670		
1 x 20L	1 x 51L	1 x 56L	☐ LG 1053 ECT	6,510	☐ LCF 1053 ECT	6,700	☐ LVI 1053 ECT	7,830
1 x 20L	1 x 51L	1 x 51L	☐ LG 1053 CT	6,670	☐ LCF 1053 CT	6,830	☐ LVI 1053 CT	7,990

STEP 2. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....

Trims	**Code**	
Brass	☐ LF 1053	£0
Chrome	☐ LF 1053 CR	£0
Chrome matt	☐ LF 1053 CM	£0
Brushed steel	☐ LF 1053 S	£0
Nickel	☐ LF 1053 N	£0

Nature of gas	**Code**
LPG Gas	☐ LPG
Natural Gas	☐ NG
Voltage	☑ 230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm	☐ **LRF 10-900**	**£0**
Plinth for height 915mm to 929mm	☐ LRF 10-915	£320
Plinth for height 930mm to 944mm	☐ LRF 10-930	£335
Plinth for height 945mm to 959mm	☐ LRF 10-945	£360
Plinth for height 960mm to 974mm	☐ LRF 10-960	£465





Classic hob 5 burners
(LG)



Traditional hob 5 burners
(5kW burner under simmer plate)
(LCF)



INDUCTION hob 5 rings
(LVI)

STEP 1. Select main hob top and oven.

	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
 1 x 70L	☐ LG 1051 G-G	6,480	☐ LCF 1051 G-G	6,750		
 1 x 67L	☐ LG 1051 CT-G	6,810	☐ LCF 1051 CT-G	7,070	☐ LVI 1051 CT-G	7,650

STEP 2. Select cupboard or simmer oven for position A, on left hand side.

Neutral cupboard ☐ NCL 001



1 x 79L Simmer oven ☐ ETL 001
(fitted as standard on the Volnay range)

STEP 3. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....

Trims	**Code**		
Brass	☐	LF 1051	£0
Chrome	☐	LF 1051 CR	£0
Chrome matt	☐	LF 1051 CM	£0
Brushed steel	☐	LF 1051 S	£0
Nickel	☐	LF 1051 N	£0

Nature of gas	**Code**	
LPG Gas	☐	LPG
Natural Gas	☐	NG
Voltage	☑	230 V

Cooker Height	**Code**		
Plinth Standard 900mm to 914mm	☐	**LRF 10-900**	**£0**
Plinth for height 915mm to 929mm	☐	LRF 10-915	£320
Plinth for height 930mm to 944mm	☐	LRF 10-930	£335
Plinth for height 945mm to 959mm	☐	LRF 10-945	£360
Plinth for height 960mm to 974mm	☐	LRF 10-960	£465





Classic hob 5 burners
(LG)



Traditional hob 5 burners
(5kW burner under simmer plate)
(LCF)



INDUCTION hob 5 rings
(LVI)

STEP 1. Select main hob top and oven.

	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
 1 x 70L	☐ LG 1051 G-D	6,480	☐ LCF 1051 G-D	6,750		
 1 x 67L	☐ LG 1051 CT-D	6,810	☐ LCF 1051 CT-D	7,070	☐ LVI 1051 CT-D	7,650

STEP 2. Select cupboard or simmer oven for position A, on right hand side.

Neutral cupboard ☐ NCL 001



1 x 79L

Simmer oven ☐ ETL 001
(fitted as standard on the Vougeot range)

STEP 3. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....

Trims	**Code**	
Brass	☐ LF 1051	£0
Chrome	☐ LF 1051 CR	£0
Chrome matt	☐ LF 1051 CM	£0
Brushed steel	☐ LF 1051 S	£0
Nickel	☐ LF 1051 N	£0

Nature of gas	**Code**
LPG Gas	☐ LPG
Natural Gas	☐ NG
Voltage	☑ 230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm	☐ **LRF 10-900**	**£0**
Plinth for height 915mm to 929mm	☐ LRF 10-915	£320
Plinth for height 930mm to 944mm	☐ LRF 10-930	£335
Plinth for height 945mm to 959mm	☐ LRF 10-945	£360
Plinth for height 960mm to 974mm	☐ LRF 10-960	£465





Classic hob 3 burners
(LG)



Classic hob 4 burners
(LG)



Traditional hob 3 burners
(5kW burner under simmer plate)
(LCF)



Induction hob 3 rings
(LVI)

STEP 1. Select main hob top and oven.

		Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 65L	1 x 70L	☐ LG 1132 G-G	8,200	☐ LG 1142 G-G	8,330	☐ LCF 1132 G-G	8,460		
1 x 65L	1 x 67L	☐ LG 1132 CT-G	8,630	☐ LG 1142 CT-G	8,730	☐ LCF 1132 CT-G	8,590	☐ LVI 1132 CT-G	9,060

STEP 2. Select a single hob top option for position A, (to be fitted on the left hand side of the hob).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640	2 induction rings *(cannot be fitted next to a simmer plate LCF)*	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730						
2 x 3 kW burner	☐ LAG 020 R	730						
2 x 4 kW burner	☐ LAG 024 R	780						

STEP 3. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify .....

Trims	Code	
Brass	☐ LF 1132	£0
Chrome	☐ LF 1132 CR	£0
Chrome matt	☐ LF 1132 CM	£0
Brushed steel	☐ LF 1132 S	£0
Nickel	☐ LF 1132 N	£0

Nature of gas	Code
LPG Gas	☐ LPG
Natural Gas	☐ NG
Voltage	☑ 230 V

Cooker Height	Code	
Plinth Standard 900mm to 914mm	☐ **LRF 11-900**	**£0**
Plinth for height 915mm to 929mm	☐ LRF 11-915	£350
Plinth for height 930mm to 944mm	☐ LRF 11-930	£370
Plinth for height 945mm to 959mm	☐ LRF 11-945	£390
Plinth for height 960mm to 974mm	☐ LRF 11-960	£470





Classic hob 3 burners
(LG)



Classic hob 4 burners
(LG)



Traditional hob 3 burners
(5kW burner under simmer plate)
(LCF)



Induction hob 3 rings
(LVI)

STEP 1. Select main hob top and oven.

		Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 70L	1 x 65L	☐ LG 1132 G-D	8,200	☐ LG 1142 G-D	8,330	☐ LCF 1132 G-D	8,460		
1 x 67L	1 x 65L	☐ LG 1132 CT-D	8,630	☐ LG 1142 CT-D	8,730	☐ LCF 1132 CT-D	8,590	☐ LVI 1132 CT-D	9,060

STEP 2. Select a single hob top option for position A, (to be fitted on the right hand side of the hob).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640	2 induction rings *(cannot be fitted next to a simmer plate LCF)*	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730						
2 x 3 kW burner	☐ LAG 020 R	730						
2 x 4 kW burner	☐ LAG 024 R	780						

STEP 3. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify .....

Trims	**Code**	
Brass	☐ LF 1132	£0
Chrome	☐ LF 1132 CR	£0
Chrome matt	☐ LF 1132 CM	£0
Brushed steel	☐ LF 1132 S	£0
Nickel	☐ LF 1132 N	£0

Nature of gas	**Code**
LPG Gas	☐ LPG
Natural Gas	☐ NG
Voltage	☑ 230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm	☐ **LRF 11-900**	**£0**
Plinth for height 915mm to 929mm	☐ LRF 11-915	£350
Plinth for height 930mm to 944mm	☐ LRF 11-930	£370
Plinth for height 945mm to 959mm	☐ LRF 11-945	£390
Plinth for height 960mm to 974mm	☐ LRF 11-960	£470





Classic hob 5 burners
(LG)



Traditional hob 5 burners
(5kW burner under simmer plate)
(LCF)



Induction hob 5 rings
(LVI)

STEP 1. Select main hob top and oven.

		Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 52L	1 x 52L	☐ LG 1452 G-G	10,270	☐ LCF 1452 G-G	10,700		
1 x 52L	1 x 56L	☐ LG 1452 GE-G	10,290	☐ LCF 1452 GE-G	10,720		
1 x 56L	1 x 56L	☐ LG 1452 EE-G	10,410	☐ LCF 1452 EE-G	10,740	☐ LVI 1452 EE-G	11,490
1 x 52L	1 x 51L	☐ LG 1452 GCT-G	10,450	☐ LCF 1452 GCT-G	10,770		
1 x 56L	1 x 51L	☐ LG 1452 ECT-G	10,470	☐ LCF 1452 ECT-G	10,800	☐ LVI 1452 ECT-G	11,510
1 x 51L	1 x 51L	☐ LG 1452 CT-G	10,570	☐ LCF 1452 CT-G	10,900	☐ LVI 1452 CT-G	11,660

STEP 2. Select a single hob top option for position A, (to be fitted on the left hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640	2 induction rings	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730	Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650			
2 x 3 kW burner	☐ LAG 020 R	730	Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890			
2 x 4 kW burner	☐ LAG 024 R	780	Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830			
			Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270			

STEP 3. Select cupboard or simmer oven for position B, on left hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L

Simmer oven ☐ ETL 001

(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L

Side Dual Function Electric Oven

☐ CTL 001 750

(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 4. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....

Trims		**Code**	
Brass	☐	LF 1452	£0
Chrome	☐	LF 1452 CR	£0
Chrome matt	☐	LF 1452 CM	£0
Brushed steel	☐	LF 1452 S	£0
Nickel	☐	LF 1452 N	£0

Nature of gas		**Code**
LPG Gas	☐	LPG
Natural Gas	☐	NG
Voltage	☑	230 V

Cooker Height		**Code**	
Plinth Standard 900mm to 914mm	☐	**LRF 14-900**	**£0**
Plinth for height 915mm to 929mm	☐	LRF 14-915	£440
Plinth for height 930mm to 944mm	☐	LRF 14-930	£460
Plinth for height 945mm to 959mm	☐	LRF 14-945	£480
Plinth for height 960mm to 974mm	☐	LRF 14-960	£620





Classic hob 5 burners
(LG)



Traditional hob 5 burners
(5kW burner under simmer plate)
(LCF)



Induction hob 5 rings
(LVI)

STEP 1. Select main hob top and oven.

		Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 52L	1 x 52L	☐ LG 1452 G-D	10,270	☐ LCF 1452 G-D	10,700		
1 x 52L	1 x 56L	☐ LG 1452 GE-D	10,290	☐ LCF 1452 GE-D	10,720		
1 x 56L	1 x 56L	☐ LG 1452 EE-D	10,410	☐ LCF 1452 EE-D	10,740	☐ LVI 1452 EE-D	11,490
1 x 52L	1 x 51L	☐ LG 1452 GCT-D	10,450	☐ LCF 1452 GCT-D	10,770		
1 x 56L	1 x 51L	☐ LG 1452 ECT-D	10,470	☐ LCF 1452 ECT-D	10,800	☐ LVI 1452 ECT-D	11,510
1 x 51L	1 x 51L	☐ LG 1452 CT-D	10,570	☐ LCF 1452 CT-D	10,900	☐ LVI 1452 CT-D	11,660

STEP 2. Select a single hob top option for position A, (to be fitted on the right hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640	2 induction rings	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730	Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650			
2 x 3 kW burner	☐ LAG 020 R	730	Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890			
2 x 4 kW burner	☐ LAG 024 R	780	Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830			
			Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270			

STEP 3. Select cupboard or simmer oven for position B, on right hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L

Simmer oven ☐ ETL 001

(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L

Side Dual Function Electric Oven

☐ CTL 001 750

(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 4. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify .....

Trims		**Code**	
Brass	☐	LF 1452	£0
Chrome	☐	LF 1452 CR	£0
Chrome matt	☐	LF 1452 CM	£0
Brushed steel	☐	LF 1452 S	£0
Nickel	☐	LF 1452 N	£0

Nature of gas		**Code**
LPG Gas	☐	LPG
Natural Gas	☐	NG
Voltage	☑	230 V

Cooker Height		**Code**	
Plinth Standard 900mm to 914mm	☐	**LRF 14-900**	**£0**
Plinth for height 915mm to 929mm	☐	LRF 14-915	£440
Plinth for height 930mm to 944mm	☐	LRF 14-930	£460
Plinth for height 945mm to 959mm	☐	LRF 14-945	£480
Plinth for height 960mm to 974mm	☐	LRF 14-960	£620





Classic hob 5 burners
(LG)



Traditional hob 5 burners
(5kW burner under simmer plate)
(LCF)



Induction hob 5 rings
(LVI)

STEP 1. Select main hob top and oven.

	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 20L, 1 x 56L, 1 x 52L	☐ LG 1453 GE-G	10,920	☐ LCF 1453 GE-G	11,090		
1 x 20L, 1 x 56L, 1 x 56L	☐ LG 1453 EE-G	11,070	☐ LCF 1453 EE-G	11,210	☐ LVI 1453 EE-G	12,280
1 x 20L, 1 x 51L, 1 x 52L	☐ LG 1453 GCT-G	11,130	☐ LCF 1453 GCT-G	11,270		
1 x 20L, 1 x 51L, 1 x 56L	☐ LG 1453 ECT-G	11,140	☐ LCF 1453 ECT-G	11,290	☐ LVI 1453 ECT-G	12,370
1 x 20L, 1 x 51L, 1 x51L	☐ LG 1453 CT-G	11,290	☐ LCF 1453 CT-G	11,440	☐ LVI 1453 CT-G	12,520

STEP 2. Select a single hob top option for position A, (to be fitted on the left hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640	2 induction rings	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730	Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650			
2 x 3 kW burner	☐ LAG 020 R	730	Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890			
2 x 4 kW burner	☐ LAG 024 R	780	Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830			
			Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270			

STEP 3. Select cupboard or simmer oven for position B, on left hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L

Simmer oven ☐ ETL 001

(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L

Side Dual Function Electric Oven

☐ CTL 001 750

(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 4. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....

Trims		**Code**	
Brass	☐	LF 1453	£0
Chrome	☐	LF 1453 CR	£0
Chrome matt	☐	LF 1453 CM	£0
Brushed steel	☐	LF 1453 S	£0
Nickel	☐	LF 1453 N	£0

Nature of gas		**Code**
LPG Gas	☐	LPG
Natural Gas	☐	NG
Voltage	☑	230 V

Cooker Height		**Code**	
Plinth Standard 900mm to 914mm	☐	**LRF 14-900**	**£0**
Plinth for height 915mm to 929mm	☐	LRF 14-915	£440
Plinth for height 930mm to 944mm	☐	LRF 14-930	£460
Plinth for height 945mm to 959mm	☐	LRF 14-945	£480
Plinth for height 960mm to 974mm	☐	LRF 14-960	£620





Classic hob 5 burners
(LG)



Traditional hob 5 burners
(5kW burner under simmer plate)
(LCF)



Induction hob 5 rings
(LVI)

STEP 1. Select main hob top and oven.

	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 20L, 1 x 56L, 1 x 52L	☐ LG 1453 GE-D	10,920	☐ LCF 1453 GE-D	11,090		
1 x 20L, 1 x 56L, 1 x 56L	☐ LG 1453 EE-D	11,070	☐ LCF 1453 EE-D	11,210	☐ LVI 1453 EE-D	12,280
1 x 20L, 1 x 51L, 1 x 52L	☐ LG 1453 GCT-D	11,130	☐ LCF 1453 GCT-D	11,270		
1 x 20L, 1 x 51L, 1 x 56L	☐ LG 1453 ECT-D	11,140	☐ LCF 1453 ECT-D	11,290	☐ LVI 1453 ECT-D	12,370
1 x 20L, 1 x 51L, 1 x 51L	☐ LG 1453 CT-D	11,290	☐ LCF 1453 CT-D	11,440	☐ LVI 1453 CT-D	12,520

STEP 2. Select a single hob top option for position A, (to be fitted on the left hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640	2 induction rings	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730	Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650			
2 x 3 kW burner	☐ LAG 020 R	730	Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890			
2 x 4 kW burner	☐ LAG 024 R	780	Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830			
			Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270			

STEP 3. Select cupboard or simmer oven for position B, on right hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L

Simmer oven ☐ ETL 001

(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L

Side Dual Function Electric Oven

☐ CTL 001 750

(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 4. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....

Trims		**Code**	
Brass	☐	LF 1453	£0
Chrome	☐	LF 1453 CR	£0
Chrome matt	☐	LF 1453 CM	£0
Brushed steel	☐	LF 1453 S	£0
Nickel	☐	LF 1453 N	£0

Nature of gas		**Code**
LPG Gas	☐	LPG
Natural Gas	☐	NG
Voltage	☑	230 V

Cooker Height		**Code**	
Plinth Standard 900mm to 914mm	☐	**LRF 14-900**	**£0**
Plinth for height 915mm to 929mm	☐	LRF 14-915	£440
Plinth for height 930mm to 944mm	☐	LRF 14-930	£460
Plinth for height 945mm to 959mm	☐	LRF 14-945	£480
Plinth for height 960mm to 974mm	☐	LRF 14-960	£620





Classic hob 3 burners
(LG)



Classic hob 4 burners
(LG)



Traditional hob 3 burners
(5kW burner under simmer plate)
(LCF)



Induction hob 3 rings
(LVI)

STEP 1. Select main hob top and oven.

		Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 70L	1 x 70L	☐ LG 1432 G	9,980	☐ LG 1442 G	10,180	☐ LCF 1432 G	10,010		
1 x 70L	1 x 67L	☐ LG 1432 GCT	10,400	☐ LG 1442 GCT	10,260	☐ LCF 1432 GCT	10,440		
1 x 67L	1 x 67L	☐ LG 1432 CT	10,740	☐ LG 1442 CT	10,590	☐ LCF 1432 CT	10,730	☐ LVI 1432 CT	11,000

STEP 2. Select a single hob top option for position A, (to be fitted on the left hand side of the hob) You cannot have Induction or the Plancha next to the Classic Hob 3 Burner and the Traditional Hob 3 Burner

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	2 x 4 kW burner	☐ LAG 024 R	780	2 induction rings	☐ LAE 020 I	1,530
2 x 3 kW burner	☐ LAG 020 R	730	*(Can only be fitted next to gas hobs LG and LCF)*			*(Cannot be fitted next to a simmer plate LCF or placed above a gas oven)*		
(Can only be fitted next to gas hobs LG and LCF)			Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640			

STEP 3. Select a single hob top option for position B, (to be fitted on the right hand side of the hob).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	2 x 3 kW burner	☐ LAG 020 R	730	2 induction rings	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730	*(Can only be fitted next to gas hobs LG and LCF)*			*(Cannot be fitted above a gas oven)*		
(Can only be fitted next to gas hobs LG and LCF)			2 x 4 kW burner	☐ LAG 024 R	780			
			(Can only be fitted next to gas hobs LG and LCF)					
			Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640			

STEP 4. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify .....

Trims		Code	
Brass	☐	LF 1432	£0
Chrome	☐	LF 1432 CR	£0
Chrome matt	☐	LF 1432 CM	£0
Brushed steel	☐	LF 1432 S	£0
Nickel	☐	LF 1432 N	£0

Nature of gas		Code
LPG Gas	☐	LPG
Natural Gas	☐	NG
Voltage	☑	230 V

Cooker Height		Code	
Plinth Standard 900mm to 914mm	☐	**LRF 14-900**	**£0**
Plinth for height 915mm to 929mm	☐	LRF 14-915	£440
Plinth for height 930mm to 944mm	☐	LRF 14-930	£460
Plinth for height 945mm to 959mm	☐	LRF 14-945	£480
Plinth for height 960mm to 974mm	☐	LRF 14-960	£620





Classic hob 3 burners
(LG)



Classic hob 4 burners
(LG)



Traditional hob 3 burners
(5kW burner under simmer plate)
(LCF)



Induction hob 3 rings
(LVI)

STEP 1. Select main hob top and oven.

		Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 65L	1 x 70L	☐ LG 1532 G	10,770	☐ LG 1542 G	11,010	☐ LCF 1532 G	11,060		
1 x 65L	1 x 67L	☐ LG 1532 CT	11,090	☐ LG 1542 CT	11,100	☐ LCF 1532 CT	11,150	☐ LVI 1532 CT	11,630

STEP 2. Select a single hob top option for position A, (to be fitted on the left hand side of the hob, over the oven).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	2 x 4 kW burner	☐ LAG 024 R	780	2 induction rings	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730	*(Can only be fitted next to gas hobs LG and LCF)*			*(Cannot be fitted next to a simmer plate LCF)*		
2 x 3 kW burner	☐ LAG 020 R	730	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640			

STEP 3. Select a single hob top option for position B, (to be fitted on the right hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640	2 induction rings	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730	Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650			
2 x 3 kW burner	☐ LAG 020 R	730	Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890			
2 x 4 kW burner	☐ LAG 024 R	780	Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830			
			Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270			

STEP 4. Select cupboard or simmer oven for position C, on right hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L

Simmer oven ☐ ETL 001

(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L

Side Dual Function Electric Oven

☐ CTL 001 750

(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 5. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify .....

Trims		**Code**	
Brass	☐	LF 1532	£0
Chrome	☐	LF 1532 CR	£0
Chrome matt	☐	LF 1532 CM	£0
Brushed steel	☐	LF 1532 S	£0
Nickel	☐	LF 1532 N	£0

Nature of gas		**Code**
LPG Gas	☐	LPG
Natural Gas	☐	NG
Voltage	☑	230 V

Cooker Height		**Code**	
Plinth Standard 900mm to 914mm	☐	**LRF 15-900**	**£0**
Plinth for height 915mm to 929mm	☐	LRF 15-915	£450
Plinth for height 930mm to 944mm	☐	LRF 15-930	£470
Plinth for height 945mm to 959mm	☐	LRF 15-945	£490
Plinth for height 960mm to 974mm	☐	LRF 15-960	£630





Classic hob 5 burners
(LG)



Traditional hob 5 burners
(5kW burner under simmer plate)
(LCF)



Induction hob 5 rings
(LVI)

STEP 1. Select main hob top and oven.

		Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 52L	1 x 52L	☐ LG 1852 G	13,090	☐ LCF 1852 G	13,390		
1 x 52L	1 x 56L	☐ LG 1852 GE	13,110	☐ LCF 1852 GE	13,420		
1 x 56L	1 x 56L	☐ LG 1852 EE	13,130	☐ LCF 1852 EE	13,440	☐ LVI 1852 EE	14,480
1 x 52L	1 x 51L	☐ LG 1852 GCT	13,170	☐ LCF 1852 GCT	13,480		
1 x 56L	1 x 51L	☐ LG 1852 ECT	13,190	☐ LCF 1852 ECT	13,500	☐ LVI 1852 ECT	14,580
1 x 51L	1 x 51L	☐ LG 1852 CT	13,340	☐ LCF 1852 CT	13,650	☐ LVI 1852 CT	14,730

STEP 2. Select a single hob top option for position A, (to be fitted on the left hand side of the hob, over the oven).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640	2 induction rings	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730	Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650			
2 x 3 kW burner	☐ LAG 020 R	730	Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890			
2 x 4 kW burner	☐ LAG 024 R	780	Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830			
			Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270			

STEP 3. Select cupboard or simmer oven for position C, on left hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L

Simmer oven ☐ ETL 001

(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L

Side Dual Function Electric Oven

☐ CTL 001 750

(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 4. Select a single hob top option for position B, (to be fitted on the right hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge
1 x 5 kW burner	☐ LAG 010 UR	730
2 x 3 kW burner	☐ LAG 020 R	730
2 x 4 kW burner	☐ LAG 024 R	780

	Code	Guide Price £ Inc VAT
Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640
Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650
Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890
Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830
Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270

	Code	Guide Price £ Inc VAT
2 induction rings	☐ LAE 020 I	1,530

STEP 5. Select cupboard or simmer oven for position D, on right hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L

Simmer oven ☐ ETL 001

(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L

Side Dual Function Electric Oven

☐ CTL 001 750

(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 6. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify .....

Trims	**Code**	
Brass	☐ LF 1852	£0
Chrome	☐ LF 1852 CR	£0
Chrome matt	☐ LF 1852 CM	£0
Brushed steel	☐ LF 1852 S	£0
Nickel	☐ LF 1852 N	£0

Nature of gas	**Code**
LPG Gas	☐ LPG
Natural Gas	☐ NG
Voltage	☑ 230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm	☐ **LRF 18-900**	**£0**
Plinth for height 915mm to 929mm	☐ LRF 18-915	£620
Plinth for height 930mm to 944mm	☐ LRF 18-930	£630
Plinth for height 945mm to 959mm	☐ LRF 18-945	£650
Plinth for height 960mm to 974mm	☐ LRF 18-960	£800





Classic hob 5 burners
(LG)



Traditional hob 5 burners
(5kW burner under simmer plate)
(LCF)



Induction hob 5 rings
(LVI)

STEP 1. Select main hob top and oven.

			Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 20L	1 x 56L	1 x 52L	☐ LG 1853 GE	13,760	☐ LCF 1853 GE	14,010		
1 x 20L	1 x 56L	1 x 56L	☐ LG 1853 EE	13,860	☐ LCF 1853 EE	14,110	☐ LVI 1853 EE	15,210
1 x 20L	1 x 51L	1 x 52L	☐ LG 1853 GCT	13,960	☐ LCF 1853 GCT	14,210		
1 x 20L	1 x 51L	1 x 56L	☐ LG 1853 ECT	14,060	☐ LCF 1853 ECT	14,310	☐ LVI 1853 ECT	15,310
1 x 20L	1 x 51L	1 x 51L	☐ LG 1853 CT	14,210	☐ LCF 1853 CT	14,460	☐ LVI 1853 CT	15,460

STEP 2. Select a single hob top option for position A, (to be fitted on the left hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640	2 induction rings	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730	Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650			
2 x 3 kW burner	☐ LAG 020 R	730	Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890			
2 x 4 kW burner	☐ LAG 024 R	780	Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830			
			Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270			

STEP 3. Select cupboard or simmer oven for position C, on left hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L

Simmer oven ☐ ETL 001

(included as standard - cannot be fitted under electric fryer or multi-cooker)

STEP 4. Select a single hob top option for position B, (to be fitted on the right hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge
1 x 5 kW burner	☐ LAG 010 UR	730
2 x 3 kW burner	☐ LAG 020 R	730
2 x 4 kW burner	☐ LAG 024 R	780

	Code	Guide Price £ Inc VAT
Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640
Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650
Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890
Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830
Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270

	Code	Guide Price £ Inc VAT
2 induction rings	☐ LAE 020 I	1,530

STEP 5. Select cupboard or simmer oven for position D, on right hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L

Simmer oven ☐ ETL 001

(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L

Side Dual Function Electric Oven

☐ CTL 001 750

(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 6. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....

Trims	**Code**	
Brass	☐ LF 1853	£0
Chrome	☐ LF 1853 CR	£0
Chrome matt	☐ LF 1853 CM	£0
Brushed steel	☐ LF 1853 S	£0
Nickel	☐ LF 1853 N	£0

Nature of gas	**Code**
LPG Gas	☐ LPG
Natural Gas	☐ NG
Voltage	☑ 230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm	☐ **LRF 18-900**	**£0**
Plinth for height 915mm to 929mm	☐ LRF 18-915	£620
Plinth for height 930mm to 944mm	☐ LRF 18-930	£630
Plinth for height 945mm to 959mm	☐ LRF 18-945	£650
Plinth for height 960mm to 974mm	☐ LRF 18-960	£800





Classic hob 3 burners
(LG)



Classic hob 4 burners
(LG)



Traditional hob 3 burners
(5kW burner under simmer plate)
(LCF)



Induction hob 3 rings
(LVI)

STEP 1. Select main hob top and oven.

		Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 70L	1 x 70L	☐ LG 1832 G-G	13,520	☐ LG 1842 G-G	13,560	☐ LCF 1832 G-G	13,860		
1 x 70L	1 x 67L	☐ LG 1832 GCT-G	13,990	☐ LG 1842 GCT-G	14,090	☐ LCF 1832 GCT-G	14,240		
1 x 67L	1 x 67L	☐ LG 1832 CT-G	14,530	☐ LG 1842 CT-G	14,630	☐ LCF 1832 CT-G	14,780	☐ LVI 1832 CT-G	15,130

STEP 2. Select a single hob top option for position A, (to be fitted on the left hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640	2 induction rings	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730	Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650			
2 x 3 kW burner	☐ LAG 020 R	730	Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890			
2 x 4 kW burner	☐ LAG 024 R	780	Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830			
			Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270			

STEP 3. Select cupboard or simmer oven for position D, on left hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L Simmer oven ☐ ETL 001
(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L Side Dual Function Electric Oven
☐ CTL 001 750
(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 4. Select a single hob top option for position B, (to be fitted on the left hand side of the hob).

	Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge
2 x 3 kW burner	☐ LAG 020 R	730
(Can only be fitted next to gas hobs LG and LCF)		
2 x 4 kW burner	☐ LAG 024 R	780
(Can only be fitted next to gas hobs LG and LCF)		
2 induction rings	☐ LAE 020 I	1,530
(Cannot be fitted next to a simmer plate LCF or placed above a gas oven)		

STEP 5. Select a single hob top option for position C, (to be fitted on the right hand side of the hob).

	Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge
2 x 3 kW burner	☐ LAG 020 R	730
(Can only be fitted next to gas hobs LG and LCF)		
2 x 4 kW burner	☐ LAG 024 R	780
(Can only be fitted next to gas hobs LG and LCF)		
Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640
2 induction rings	☐ LAE 020 I	1,530
(Cannot be fitted above a gas oven)		

STEP 6. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....

Trims	**Code**	
Brass	☐ LF 1832	£0
Chrome	☐ LF 1832 CR	£0
Chrome matt	☐ LF 1832 CM	£0
Brushed steel	☐ LF 1832 S	£0
Nickel	☐ LF 1832 N	£0

Nature of gas	**Code**
LPG Gas	☐ LPG
Natural Gas	☐ NG
Voltage	☑ 230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm	☐ **LRF 18-900**	**£0**
Plinth for height 915mm to 929mm	☐ LRF 18-915	£620
Plinth for height 930mm to 944mm	☐ LRF 18-930	£630
Plinth for height 945mm to 959mm	☐ LRF 18-945	£650
Plinth for height 960mm to 974mm	☐ LRF 18-960	£800





Classic hob 3 burners
(LG)



Classic hob 4 burners
(LG)



Traditional hob 3 burners
(5kW burner under simmer plate)
(LCF)



Induction hob 3 rings
(LVI)

STEP 1. Select main hob top and oven.

	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 70L / 1 x 70L	☐ LG 1832 G-D	13,520	☐ LG 1842 G-D	13,560	☐ LCF 1832 G-D	13,860		
1 x 70L / 1 x 67L	☐ LG 1832 GCT-D	13,990	☐ LG 1842 GCT-D	14,090	☐ LCF 1832 GCT-D	14,240		
1 x 67L / 1 x 67L	☐ LG 1832 CT-D	14,530	☐ LG 1842 CT-D	14,630	☐ LCF 1832 CT-D	14,780	☐ LVI 1832 CT-D	15,130

STEP 2. Select a single hob top option for position A, (to be fitted on the left hand side of the hob). You cannot have Induction or the Plancha next to the Classic Hob 3 Burner and the Traditional Hob 3 Burner

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	2 x 4 kW burner	☐ LAG 024 R	780	2 induction rings	☐ LAE 020 I	1,530
2 x 3 kW burner	☐ LAG 020 R	730	*(Can only be fitted next to gas hobs LG and LCF)*			*(Cannot be fitted above a gas oven)*		
(Can only be fitted next to gas hobs LG and LCF)			Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640			

STEP 3. Select a single hob top option for position B, (to be fitted on the right hand side of the hob).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	2 x 4 kW burner	☐ LAG 024 R	780	2 induction rings	☐ LAE 020 I	1,530
2 x 3 kW burner	☐ LAG 020 R	730	*(Can only be fitted next to gas hobs LG and LCF)*			*(Cannot be fitted above a gas oven)*		
(Can only be fitted next to gas hobs LG and LCF)			Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640			

STEP 4. Select a single hob top option for position C, (to be fitted on the right hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge
1 x 5 kW burner	☐ LAG 010 UR	730
2 x 3 kW burner	☐ LAG 020 R	730
2 x 4 kW burner	☐ LAG 024 R	780

	Code	Guide Price £ Inc VAT
Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640
Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650
Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890
Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830
Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270

	Code	Guide Price £ Inc VAT
2 induction rings	☐ LAE 020 I	1,530

STEP 5. Select cupboard or simmer oven for position D, on right hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L Simmer oven ☐ ETL 001
(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L Side Dual Function Electric Oven
☐ CTL 001 750
(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 6. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify .....

Trims	**Code**	
Brass	☐ LF 1832	£0
Chrome	☐ LF 1832 CR	£0
Chrome matt	☐ LF 1832 CM	£0
Brushed steel	☐ LF 1832 S	£0
Nickel	☐ LF 1832 N	£0

Nature of gas	**Code**
LPG Gas	☐ LPG
Natural Gas	☐ NG
Voltage	☑ 230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm	☐ **LRF 18-900**	**£0**
Plinth for height 915mm to 929mm	☐ LRF 18-915	£620
Plinth for height 930mm to 944mm	☐ LRF 18-930	£630
Plinth for height 945mm to 959mm	☐ LRF 18-945	£650
Plinth for height 960mm to 974mm	☐ LRF 18-960	£800





Classic hob 3 burners
(LG)



Classic hob 4 burners
(LG)



Traditional hob 3 burners
(5kW burner under simmer plate)
(LCF)



Induction hob 3 rings
(LVI)

STEP 1. Select main hob top and oven.

		Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 70L / 1 x 70L		☐ LG 2232 G	16,960	☐ LG 2242 G	17,300	☐ LCF 2232 G	17,740		
1 x 70L / 1 x 67L		☐ LG 2232 GCT	17,120	☐ LG 2242 GCT	17,640	☐ LF 2232 GCT	17,820		
1 x 67L / 1 x 67L		☐ LG 2232 CT	17,860	☐ LG 2242 CT	17,940	☐ LCF 2232 CT	18,020	☐ LVI 2232 CT-D	18,950

STEP 2. Select a single hob top option for position A, (to be fitted on the left hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640	Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270
1 x 5 kW burner	☐ LAG 010 UR	730	Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650			
2 x 3 kW burner	☐ LAG 020 R	730	Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890	2 induction rings	☐ LAE 020 I	1,530
2 x 4 kW burner	☐ LAG 024 R	780	Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830			

STEP 3. Select cupboard or simmer oven for position E, on left hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L

Simmer oven ☐ ETL 001
(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L

Side Dual Function Electric Oven
☐ CTL 001 750
(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 4. Select a single hob top option for position B, (to be fitted on the left hand side of the hob).

	Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge
2 x 3 kW burner	☐ LAG 020 R	730
(Can only be fitted next to gas hobs LG and LCF)		
2 x 4 kW burner	☐ LAG 024 R	780
(Can only be fitted next to gas hobs LG and LCF)		
2 induction rings	☐ LAE 020 I	1,530
(Cannot be fitted next to a simmer plate LCF or placed above a gas oven)		

STEP 5. Select a single hob top option for position C, (to be fitted on the right hand side of the hob).

	Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge
2 x 3 kW burner	☐ LAG 020 R	730
(Can only be fitted next to gas hobs LG and LCF)		
2 x 4 kW burner	☐ LAG 024 R	780
(Can only be fitted next to gas hobs LG and LCF)		
Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640
2 induction rings	☐ LAE 020 I	1,530
(Cannot be fitted above a gas oven)		

STEP 6. Select a single hob top option for position D, (to be fitted on the right hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge
1 x 5 kW burner	☐ LAG 010 UR	730
2 x 3 kW burner	☐ LAG 020 R	730
2 x 4 kW burner	☐ LAG 024 R	780
Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640
Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650
Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890
Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830
Multi cooker - Steamer	☐ LAE 010 CV	2,270
Pasta Boiler - Bain Marie 3.5 kW		
2 induction rings	☐ LAE 020 I	1,530

STEP 7. Select cupboard or simmer oven for position F, on right hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L Simmer oven ☐ ETL 001
(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L Side Dual Function Electric Oven
☐ CTL 001 750
(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 8. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....

Trims	Code	
Brass	☐ LF 2232	£0
Chrome	☐ LF 2232 CR	£0
Chrome matt	☐ LF 2232 CM	£0
Brushed steel	☐ LF 2232 S	£0
Nickel	☐ LF 2232 N	£0

Nature of gas	Code	
LPG Gas	☐	LPG
Natural Gas	☐	NG
Voltage	☑	230 V

Cooker Height	Code	
Plinth Standard 900mm to 914mm	☐ **LRF 22-900**	**£0**
Plinth for height 915mm to 929mm	☐ LRF 22-915	£720
Plinth for height 930mm to 944mm	☐ LRF 22-930	£730
Plinth for height 945mm to 959mm	☐ LRF 22-945	£750
Plinth for height 960mm to 974mm	☐ LRF 22-960	£820





LACANCHE *Modern* RANGE COOKERS





Classic hob 3 burners
(LMG)



Classic hob 4 burners
(LMG)



Traditional hob 3 burners
(5kW burner under simmer plate)
(LMCF)



Induction hob 3 rings
(LMVI)

STEP 1. Select main hob top and oven.

	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
 1 x 70L	☐ LMG 731 G	4,820	☐ LMG 741 G	4,890	☐ LMCF 731 G	5,010		
 1 x 67L	☐ LMG 731 CT	5,130	☐ LMG 741 CT	5,130	☐ LMCF 731 CT	5,130	☐ LMVI 731 CT	6,210

STEP 1. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....
Required with stainless steel control panel? ☐

Trims	**Code**	
Chrome	☐ LF 702 CR	£0
Brushed steel	☐ LF 702 S	£0

Nature of gas	**Code**
LPG Gas	☐ LPG
Natural Gas	☐ NG
Voltage	☑ 230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm	☐ **LRF 7-900**	**£0**
Plinth for height 915mm to 929mm	☐ LRF 7-915	£320
Plinth for height 930mm to 944mm	☐ LRF 7-930	£335
Plinth for height 945mm to 959mm	☐ LRF 7-945	£360
Plinth for height 960mm to 974mm	☐ LRF 7-960	£465





Classic hob 3 burners
(LMG)



Classic hob 4 burners
(LMG)



Traditional hob 3 burners
(5kW burner under simmer plate)
(LMCF)

STEP 1. Select main hob top and oven.

	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
 1 x 27L  1 x 67L	☐ LMG 732 CT	5,850	☐ LMG 742 CT	6,000	☐ LMCF 732 CT	6,050

STEP 1. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....
Required with stainless steel control panel? ☐

Trims	**Code**	
Chrome ☐	LF 702 CR	£0
Brushed steel ☐	LF 702 S	£0

Nature of gas	**Code**
LPG Gas ☐	LPG
Natural Gas ☐	NG
Voltage ☑	230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm ☐	**LRF 7-900**	**£0**
Plinth for height 915mm to 929mm ☐	LRF 7-915	£320
Plinth for height 930mm to 944mm ☐	LRF 7-930	£335
Plinth for height 945mm to 959mm ☐	LRF 7-945	£360
Plinth for height 960mm to 974mm ☐	LRF 7-960	£465





Classic hob 6 burners
(LMG)



Induction hob 6 rings
(LMVI)

STEP 1. Select main hob top and oven.

		Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 52L + 1 x 65L		☐ LMG 962 GCT-D	6,040		
1 x 56L + 1 x 65L		☐ LMG 962 ECT-D	6,060	☐ LMVI 962 ECT-D	6,760
1 x 51L + 1 x 65L		☐ LMG 962 CT-D	6,160	☐ LMVI 962 CT-D	6,870

STEP 1. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....
Required with stainless steel control panel? ☐

Trims	**Code**	
Chrome ☐	LF 962 CR	£0
Brushed steel ☐	LF 962 S	£0

Nature of gas	**Code**
LPG Gas ☐	LPG
Natural Gas ☐	NG
Voltage ☑	230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm ☐	**LRF 9-900**	**£0**
Plinth for height 915mm to 929mm ☐	LRF 9-915	£320
Plinth for height 930mm to 944mm ☐	LRF 9-930	£335
Plinth for height 945mm to 959mm ☐	LRF 9-945	£360
Plinth for height 960mm to 974mm ☐	LRF 9-960	£465





Classic hob 6 burners
(LMG)



Induction hob 6 rings
(LMVI)

STEP 1. Select main hob top and oven.

		Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 65L + 1 x 52L		☐ LMG 962 GCT-G	6,040		
1 x 65L + 1 x 56L		☐ LMG 962 ECT-G	6,060	☐ LMVI 962 ECT-G	6,760
1 x 65L + 1 x 51L		☐ LMG 962 CT-G	6,160	☐ LMVI 962 CT-G	6,870

STEP 1. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....
Required with stainless steel control panel? ☐

Trims	**Code**	
Chrome ☐	LF 962 CR	£0
Brushed steel ☐	LF 962 S	£0

Nature of gas	**Code**
LPG Gas ☐	LPG
Natural Gas ☐	NG
Voltage ☑	230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm ☐	**LRF 9-900**	**£0**
Plinth for height 915mm to 929mm ☐	LRF 9-915	£320
Plinth for height 930mm to 944mm ☐	LRF 9-930	£335
Plinth for height 945mm to 959mm ☐	LRF 9-945	£360
Plinth for height 960mm to 974mm ☐	LRF 9-960	£465





Classic hob 5 burners
(LMG)



Traditional hob 5 burners
(5kW burner under simmer plate)
(LMCF)



Induction hob 5 rings
(LMVI)

STEP 1. Select main hob top and oven.

	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 52L + 1 x 52L	☐ LMG 1052 G	5,760	☐ LMCF 1052 G	5,950		
1 x 52L + 1 x 56L	☐ LMG 1052 GE	5,780	☐ LMCF 1052 GE	5,980		
1 x 56L + 1 x 56L	☐ LMG 1052 EE	5,810	☐ LMCF 1052 EE	6,000	☐ LMVI 1052 EE	6,990
1 x 52L + 1 x 51L	☐ LMG 1052 GCT	5,850	☐ LMCF 1052 GCT	6,040		
1 x 56L + 1 x 51L	☐ LMG 1052 ECT	5,880	☐ LMCF 1052 ECT	6,080	☐ LMVI 1052 ECT	7,040
1 x 51L + 1 x 51L	☐ LMG 1052 CT	6,050	☐ LMCF 1052 CT	6,230	☐ LMVI 1052 CT	7,140

STEP 1. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....
Required with stainless steel control panel? ☐

Trims	**Code**	
Chrome	☐ LF 1052 CR	£0
Brushed steel	☐ LF 1052 S	£0

Nature of gas	**Code**
LPG Gas	☐ LPG
Natural Gas	☐ NG
Voltage	☑ 230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm	☐ **LRF 10-900**	**£0**
Plinth for height 915mm to 929mm	☐ LRF 10-915	£320
Plinth for height 930mm to 944mm	☐ LRF 10-930	£335
Plinth for height 945mm to 959mm	☐ LRF 10-945	£360
Plinth for height 960mm to 974mm	☐ LRF 10-960	£465





Classic hob 5 burners
(LMG)



Traditional hob 5 burners
(5kW burner under simmer plate)
(LMCF)



Induction hob 5 rings
(LMVI)

STEP 1. Select main hob top and oven.

	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 20L, 1 x 56L, 1 x 52L	☐ LMG 1053 GE	6,230	☐ LMCF 1053 GE	6,410		
1 x 20L, 1 x 56L, 1 x 56L	☐ LMG 1053 EE	6,280	☐ LMCF 1053 EE	6,470	☐ LMVI 1053 EE	7,620
1 x 20L, 1 x 51L, 1 x 52L	☐ LMG 1053 GCT	6,370	☐ LMCF 1053 GCT	6,570		
1 x 20L, 1 x 51L, 1 x 56L	☐ LMG 1053 ECT	6,410	☐ LMCF 1053 ECT	6,600	☐ LMVI 1053 ECT	7,730
1 x 20L, 1 x 51L, 1 x 51L	☐ LMG 1053 CT	6,570	☐ LMCF 1053 CT	6,730	☐ LMVI 1053 CT	7,890

STEP 1. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....
Required with stainless steel control panel? ☐

Trims	**Code**	
Chrome	☐ LF 1053 CR	£0
Brushed steel	☐ LF 1053 S	£0

Nature of gas	**Code**
LPG Gas	☐ LPG
Natural Gas	☐ NG
Voltage	☑ 230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm	☐ **LRF 10-900**	**£0**
Plinth for height 915mm to 929mm	☐ LRF 10-915	£320
Plinth for height 930mm to 944mm	☐ LRF 10-930	£335
Plinth for height 945mm to 959mm	☐ LRF 10-945	£360
Plinth for height 960mm to 974mm	☐ LRF 10-960	£465





Classic hob 5 burners
(LMG)



Traditional hob 5 burners
(5kW burner under simmer plate)
(LMCF)



INDUCTION hob 5 rings
(LMVI)

STEP 1. Select main hob top and oven.

	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
 1 x 70L	☐ LMG 1051 G-G	6,380	☐ LMCF 1051 G-G	6,650		
 1 x 67L	☐ LMG 1051 CT-G	6,710	☐ LMCF 1051 CT-G	6,970	☐ LMVI 1051 CT-G	7,550

STEP 2. Select cupboard or simmer oven for position A, on right hand side.

Neutral cupboard ☐ NCL 001



1 x 79L Simmer oven ☐ ETL 001
(fitted as standard on the Volnay range)

STEP 3. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....
Required with stainless steel control panel? ☐

Trims	**Code**	
Chrome	☐ LF 1051 CR	£0
Brushed steel	☐ LF 1051 S	£0

Nature of gas	**Code**
LPG Gas	☐ LPG
Natural Gas	☐ NG
Voltage	☑ 230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm	☐ **LRF 10-900**	**£0**
Plinth for height 915mm to 929mm	☐ LRF 10-915	£320
Plinth for height 930mm to 944mm	☐ LRF 10-930	£335
Plinth for height 945mm to 959mm	☐ LRF 10-945	£360
Plinth for height 960mm to 974mm	☐ LRF 10-960	£465





Classic hob 5 burners
(LMG)



Traditional hob 5 burners
(5kW burner under simmer plate)
(LMCF)



INDUCTION hob 5 rings
(LMVI)

STEP 1. Select main hob top and oven.

	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
 1 x 70L	☐ LMG 1051 G-D	6,380	☐ LMCF 1051 G-D	6,650		
 1 x 67L	☐ LMG 1051 CT-D	6,710	☐ LMCF 1051 CT-D	6,970	☐ LMVI 1051 CT-D	7,550

STEP 2. Select cupboard or simmer oven for position A, on right hand side.

Neutral cupboard ☐ NCL 001



1 x 79L Simmer oven ☐ ETL 001
(fitted as standard on the Vougeot range)

STEP 3. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....
Required with stainless steel control panel? ☐

Trims	**Code**	
Chrome	☐ LF 1051 CR	£0
Brushed steel	☐ LF 1051 S	£0

Nature of gas	**Code**
LPG Gas	☐ LPG
Natural Gas	☐ NG
Voltage	☑ 230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm	☐ **LRF 10-900**	**£0**
Plinth for height 915mm to 929mm	☐ LRF 10-915	£320
Plinth for height 930mm to 944mm	☐ LRF 10-930	£335
Plinth for height 945mm to 959mm	☐ LRF 10-945	£360
Plinth for height 960mm to 974mm	☐ LRF 10-960	£465





Classic hob 3 burners
(LMG)



Classic hob 4 burners
(LMG)



Traditional hob 3 burners
(5kW burner under simmer plate)
(LMCF)



Induction hob 3 rings
(LMVI)

STEP 1. Select main hob top and oven.

		Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 65L + 1 x 70L		☐ LMG 1132 G-G	8,000	☐ LMG 1142 G-G	8,130	☐ LMCF 1132 G-G	8,260		
1 x 65L + 1 x 67L		☐ LMG 1132 CT-G	8,430	☐ LMG 1142 CT-G	8,530	☐ LMCF 1132 CT-G	8,390	☐ LMVI 1132 CT-G	8,960

STEP 2. Select a single hob top option for position A, (to be fitted on the left hand side of the hob).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640	2 induction rings *(cannot be fitted next to a simmer plate LCF)*	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730						
2 x 3 kW burner	☐ LAG 020 R	730						
2 x 4 kW burner	☐ LAG 024 R	780						

STEP 3. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....
Required with stainless steel control panel? ☐

Trims	Code	
Chrome	☐ LF 1132 CR	£0
Brushed steel	☐ LF 1132 S	£0

Nature of gas	Code
LPG Gas	☐ LPG
Natural Gas	☐ NG
Voltage	☑ 230 V

Cooker Height	Code	
Plinth Standard 900mm to 914mm	☐ **LRF 11-900**	**£0**
Plinth for height 915mm to 929mm	☐ LRF 11-915	£350
Plinth for height 930mm to 944mm	☐ LRF 11-930	£370
Plinth for height 945mm to 959mm	☐ LRF 11-945	£390
Plinth for height 960mm to 974mm	☐ LRF 11-960	£470





Classic hob 3 burners
(LMG)



Classic hob 4 burners
(LMG)



Traditional hob 3 burners
(5kW burner under simmer plate)
(LMCF)



Induction hob 3 rings
(LMVI)

STEP 1. Select main hob top and oven.

	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 70L + 1 x 65L	☐ LMG 1132 G-D	8,000	☐ LMG 1142 G-D	8,130	☐ LMCF 1132 G-D	8,260		
1 x 67L + 1 x 65L	☐ LMG 1132 CT-D	8,430	☐ LMG 1142 CT-D	8,530	☐ LMCF 1132 CT-D	8,390	☐ LMVI 1132 CT-D	8,960

STEP 2. Select a single hob top option for position A, (to be fitted on the right hand side of the hob).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640	2 induction rings	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730				*(cannot be fitted next to a simmer plate LCF)*		
2 x 3 kW burner	☐ LAG 020 R	730						
2 x 4 kW burner	☐ LAG 024 R	780						

STEP 3. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....
Required with stainless steel control panel? ☐

Trims	Code	
Chrome	☐ LF 1132 CR	£0
Brushed steel	☐ LF 1132 S	£0

Nature of gas	Code
LPG Gas	☐ LPG
Natural Gas	☐ NG
Voltage	☑ 230 V

Cooker Height	Code	
Plinth Standard 900mm to 914mm	☐ **LRF 11-900**	**£0**
Plinth for height 915mm to 929mm	☐ LRF 11-915	£350
Plinth for height 930mm to 944mm	☐ LRF 11-930	£370
Plinth for height 945mm to 959mm	☐ LRF 11-945	£390
Plinth for height 960mm to 974mm	☐ LRF 11-960	£470





Classic hob 5 burners
(LMG)



Traditional hob 5 burners
(5kW burner under simmer plate)
(LMCF)



Induction hob 5 rings
(LMVI)

STEP 1. Select main hob top and oven.

		Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 52L	1 x 52L	☐ LMG 1452 G-G	10,070	☐ LMCF 1452 G-G	10,500		
1 x 52L	1 x 56L	☐ LMG 1452 GE-G	10,090	☐ LMCF 1452 GE-G	10,520		
1 x 56L	1 x 56L	☐ LMG 1452 EE-G	10,210	☐ LMCF 1452 EE-G	10,540	☐ LMVI 1452 EE-G	11,290
1 x 52L	1 x 51L	☐ LMG 1452 GCT-G	10,250	☐ LMCF 1452 GCT-G	10,570		
1 x 56L	1 x 51L	☐ LMG 1452 ECT-G	10,270	☐ LMCF 1452 ECT-G	10,600	☐ LMVI 1452 ECT-G	11,310
1 x 51L	1 x 51L	☐ LMG 1452 CT-G	10,370	☐ LMCF 1452 CT-G	10,700	☐ LMVI 1452 CT-G	11,460

STEP 2. Select a single hob top option for position A, (to be fitted on the left hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640	2 induction rings	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730	Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650			
2 x 3 kW burner	☐ LAG 020 R	730	Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890			
2 x 4 kW burner	☐ LAG 024 R	780	Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830			
			Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270			

STEP 3. Select cupboard or simmer oven for position B, on left hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L

Simmer oven ☐ ETL 001

(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L

Side Dual Function Electric Oven

☐ CTL 001 750

(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 4. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....
Required with stainless steel control panel? ☐

Trims	**Code**	
Chrome ☐	LF 1452 CR	£0
Brushed steel ☐	LF 1452 S	£0

Nature of gas	**Code**
LPG Gas ☐	LPG
Natural Gas ☐	NG
Voltage ☑	230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm ☐	**LRF 14-900**	**£0**
Plinth for height 915mm to 929mm ☐	LRF 14-915	£440
Plinth for height 930mm to 944mm ☐	LRF 14-930	£460
Plinth for height 945mm to 959mm ☐	LRF 14-945	£480
Plinth for height 960mm to 974mm ☐	LRF 14-960	£620





Classic hob 5 burners
(LMG)



Traditional hob 5 burners
(5kW burner under simmer plate)
(LMCF)



Induction hob 5 rings
(LMVI)

STEP 1. Select main hob top and oven.

		Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 52L	1 x 52L	☐ LMG 1452 G-D	10,070	☐ LMCF 1452 G-D	10,500		
1 x 52L	1 x 56L	☐ LMG 1452 GE-D	10,090	☐ LMCF 1452 GE-D	10,520		
1 x 56L	1 x 56L	☐ LMG 1452 EE-D	10,210	☐ LMCF 1452 EE-D	10,540	☐ LMVI 1452 EE-D	11,290
1 x 52L	1 x 51L	☐ LMG 1452 GCT-D	10,250	☐ LMCF 1452 GCT-D	10,570		
1 x 56L	1 x 51L	☐ LMG 1452 ECT-D	10,270	☐ LMCF 1452 ECT-D	10,600	☐ LMVI 1452 ECT-D	11,310
1 x 51L	1 x 51L	☐ LMG 1452 CT-D	10,370	☐ LMCF 1452 CT-D	10,700	☐ LMVI 1452 CT-D	11,460

STEP 2. Select a single hob top option for position A, (to be fitted on the right hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640	2 induction rings	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730	Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650			
2 x 3 kW burner	☐ LAG 020 R	730	Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890			
2 x 4 kW burner	☐ LAG 024 R	780	Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830			
			Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270			

STEP 3. Select cupboard or simmer oven for position B, on right hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L

Simmer oven ☐ ETL 001

(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L

Side Dual Function Electric Oven

☐ CTL 001 750

(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 4. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....
Required with stainless steel control panel? ☐

Trims	**Code**	
Chrome ☐	LF 1452 CR	£0
Brushed steel ☐	LF 1452 S	£0

Nature of gas	**Code**
LPG Gas ☐	LPG
Natural Gas ☐	NG
Voltage ☑	230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm ☐	**LRF 14-900**	**£0**
Plinth for height 915mm to 929mm ☐	LRF 14-915	£440
Plinth for height 930mm to 944mm ☐	LRF 14-930	£460
Plinth for height 945mm to 959mm ☐	LRF 14-945	£480
Plinth for height 960mm to 974mm ☐	LRF 14-960	£620





Classic hob 5 burners
(LMG)



Traditional hob 5 burners
(5kW burner under simmer plate)
(LMCF)



Induction hob 5 rings
(LMVI)

STEP 1. Select main hob top and oven.

	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 20L, 1 x 56L, 1 x 52L	☐ LMG 1453 GE-G	10,720	☐ LMCF 1453 GE-G	10,890		
1 x 20L, 1 x 56L, 1 x 56L	☐ LMG 1453 EE-G	10,870	☐ LMCF 1453 EE-G	11,010	☐ LMVI 1453 EE-G	12,080
1 x 20L, 1 x 51L, 1 x 52L	☐ LMG 1453 GCT-G	10,930	☐ LMCF 1453 GCT-G	11,070		
1 x 20L, 1 x 51L, 1 x 56L	☐ LMG 1453 ECT-G	10,940	☐ LMCF 1453 ECT-G	11,090	☐ LMVI 1453 ECT-G	12,170
1 x 20L, 1 x 51L, 1 x51L	☐ LMG 1453 CT-G	11,090	☐ LMCF 1453 CT-G	11,240	☐ LMVI 1453 CT-G	12,320

STEP 2. Select a single hob top option for position A, (to be fitted on the left hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640	2 induction rings	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730	Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650			
2 x 3 kW burner	☐ LAG 020 R	730	Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890			
2 x 4 kW burner	☐ LAG 024 R	780	Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830			
			Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270			

STEP 3. Select cupboard or simmer oven for position B, on left hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L

Simmer oven ☐ ETL 001

(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L

Side Dual Function Electric Oven

☐ CTL 001 750

(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 4. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....
Required with stainless steel control panel? ☐

Trims		**Code**	
Chrome	☐	LF 1453 CR	£0
Brushed steel	☐	LF 1453 S	£0

Nature of gas		**Code**
LPG Gas	☐	LPG
Natural Gas	☐	NG
Voltage	☑	230 V

Cooker Height		**Code**	
Plinth Standard 900mm to 914mm	☐	**LRF 14-900**	**£0**
Plinth for height 915mm to 929mm	☐	LRF 14-915	£440
Plinth for height 930mm to 944mm	☐	LRF 14-930	£460
Plinth for height 945mm to 959mm	☐	LRF 14-945	£480
Plinth for height 960mm to 974mm	☐	LRF 14-960	£620





Classic hob 5 burners
(LMG)



Traditional hob 5 burners
(5kW burner under simmer plate)
(LMCF)



Induction hob 5 rings
(LMVI)

STEP 1. Select main hob top and oven.

		Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 20L, 1 x 56L, 1 x 52L		☐ LMG 1453 GE-D	10,720	☐ LMCF 1453 GE-D	10,890		
1 x 20L, 1 x 56L, 1 x 56L		☐ LMG 1453 EE-D	10,870	☐ LMCF 1453 EE-D	11,010	☐ LMVI 1453 EE-D	12,080
1 x 20L, 1 x 51L, 1 x 52L		☐ LMG 1453 GCT-D	10,930	☐ LMCF 1453 GCT-D	11,070		
1 x 20L, 1 x 51L, 1 x 56L		☐ LMG 1453 ECT-D	10,940	☐ LMCF 1453 ECT-D	11,090	☐ LMVI 1453 ECT-D	12,170
1 x 20L, 1 x 51L, 1 x 51L		☐ LMG 1453 CT-D	11,090	☐ LMCF 1453 CT-D	11,240	☐ LMVI 1453 CT-D	12,320

STEP 2. Select a single hob top option for position A, (to be fitted on the right hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640	2 induction rings	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730	Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650			
2 x 3 kW burner	☐ LAG 020 R	730	Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890			
2 x 4 kW burner	☐ LAG 024 R	780	Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,640			
			Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270			

STEP 3. Select cupboard or simmer oven for position B, on right hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L

Simmer oven ☐ ETL 001

(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L

Side Dual Function Electric Oven

☐ CTL 001 750

(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 4. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....
Required with stainless steel control panel? ☐

Trims		**Code**	
Chrome	☐	LF 1453 CR	£0
Brushed steel	☐	LF 1453 S	£0

Nature of gas		**Code**
LPG Gas	☐	LPG
Natural Gas	☐	NG
Voltage	☑	230 V

Cooker Height		**Code**	
Plinth Standard 900mm to 914mm	☐	**LRF 14-900**	**£0**
Plinth for height 915mm to 929mm	☐	LRF 14-915	£440
Plinth for height 930mm to 944mm	☐	LRF 14-930	£460
Plinth for height 945mm to 959mm	☐	LRF 14-945	£480
Plinth for height 960mm to 974mm	☐	LRF 14-960	£620





Classic hob 3 burners
(LMG)



Classic hob 4 burners
(LMG)



Traditional hob 3 burners
(5kW burner under simmer plate)
(LMCF)



Induction hob 3 rings
(LMVI)

STEP 1. Select main hob top and oven.

		Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 70L	1 x 70L	☐ LMG 1432 G	9,780	☐ LMG 1442 G	9,980	☐ LMCF 1432 G	9,810		
1 x 70L	1 x 67L	☐ LMG 1432 GCT	10,200	☐ LMG 1442 GCT	10,060	☐ LMCF 1432 GCT	10,240		
1 x 67L	1 x 67L	☐ LMG 1432 CT	10,540	☐ LMG 1442 CT	10,390	☐ LMCF 1432 CT	10,530	☐ LMVI 1432 CT	10,800

STEP 2. Select a single hob top option for position A, (to be fitted on the left hand side of the hob). You cannot have Induction or the Plancha next to the Classic Hob 3 Burner and the Traditional Hob 3 Burner

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	2 x 4 kW burner	☐ LAG 024 R	780	2 induction rings	☐ LAE 020 I	1,530
2 x 3 kW burner	☐ LAG 020 R	730	*(Can only be fitted next to gas hobs LG and LCF)*			*(Cannot be fitted next to a simmer plate LCF or placed above a gas oven)*		
(Can only be fitted next to gas hobs LG and LCF)			Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640			

STEP 3. Select a single hob top option for position B, (to be fitted on the right hand side of the hob).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	2 x 3 kW burner	☐ LAG 020 R	730	2 induction rings	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730	*(Can only be fitted next to gas hobs LG and LCF)*			*(Cannot be fitted above a gas oven)*		
(Can only be fitted next to gas hobs LG and LCF)			2 x 4 kW burner	☐ LAG 024 R	780			
			(Can only be fitted next to gas hobs LG and LCF)					
			Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640			

STEP 4. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify ..... Required with stainless steel control panel? ☐

Trims		Code	
Chrome	☐	LF 1432 CR	£0
Brushed steel	☐	LF 1432 S	£0

Nature of gas		Code
LPG Gas	☐	LPG
Natural Gas	☐	NG
Voltage	☑	230 V

Cooker Height		Code	
Plinth Standard 900mm to 914mm	☐	**LRF 14-900**	**£0**
Plinth for height 915mm to 929mm	☐	LRF 14-915	£440
Plinth for height 930mm to 944mm	☐	LRF 14-930	£460
Plinth for height 945mm to 959mm	☐	LRF 14-945	£480
Plinth for height 960mm to 974mm	☐	LRF 14-960	£620





Classic hob 3 burners
(LMG)



Classic hob 4 burners
(LMG)



Traditional hob 3 burners
(5kW burner under simmer plate)
(LMCF)



Induction hob 3 rings
(LMVI)

STEP 1. Select main hob top and oven.

		Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 65L	1 x 70L	☐ LMG 1532 G	10,570	☐ LMG 1542 G	10,710	☐ LMCF 1532 G	10,760		
1 x 65L	1 x 67L	☐ LMG 1532 CT	10,790	☐ LMG 1542 CT	10,800	☐ LMCF 1532 CT	10,850	☐ LMVI 1532 CT	11,330

STEP 2. Select a single hob top option for position A, (to be fitted on the left hand side of the hob, over the oven).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	2 x 4 kW burner	☐ LAG 024 R	780	2 induction rings	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730	*(Can only be fitted next to gas hobs LG and LCF)*			*(Cannot be fitted next to a simmer plate LCF)*		
2 x 3 kW burner	☐ LAG 020 R	730	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640			

STEP 3. Select a single hob top option for position B, (to be fitted on the right hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640	2 induction rings	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730	Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650			
2 x 3 kW burner	☐ LAG 020 R	730	Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890			
2 x 4 kW burner	☐ LAG 024 R	780	Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830			
			Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270			

STEP 4. Select cupboard or simmer oven for position C, on left hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L

Simmer oven ☐ ETL 001

(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L

Side Dual Function Electric Oven

☐ CTL 001 750

(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 5. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....
Required with stainless steel control panel? ☐

Trims		**Code**	
Chrome	☐	LF 1532 CR	£0
Brushed steel	☐	LF 1532 S	£0

Nature of gas		**Code**
LPG Gas	☐	LPG
Natural Gas	☐	NG
Voltage	☑	230 V

Cooker Height		**Code**	
Plinth Standard 900mm to 914mm	☐	**LRF 15-900**	**£0**
Plinth for height 915mm to 929mm	☐	LRF 15-915	£450
Plinth for height 930mm to 944mm	☐	LRF 15-930	£470
Plinth for height 945mm to 959mm	☐	LRF 15-945	£490
Plinth for height 960mm to 974mm	☐	LRF 15-960	£630





Classic hob 5 burners
(LMG)



Traditional hob 5 burners
(5kW burner under simmer plate)
(LMCF)



Induction hob 5 rings
(LMVI)

STEP 1. Select main hob top and oven.

		Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 52L	1 x 52L	☐ LMG 1852 G	12,740	☐ LMCF 1852 G	13,040		
1 x 52L	1 x 56L	☐ LMG 1852 GE	12,760	☐ LMCF 1852 GE	13,070		
1 x 56L	1 x 56L	☐ LMG 1852 EE	12,780	☐ LMCF 1852 EE	13,090	☐ LMVI 1852 EE	14,130
1 x 52L	1 x 51L	☐ LMG 1852 GCT	12,820	☐ LMCF 1852 GCT	13,130		
1 x 56L	1 x 51L	☐ LMG 1852 ECT	12,840	☐ LMCF 1852 ECT	13,150	☐ LMVI 1852 ECT	14,230
1 x 51L	1 x 51L	☐ LMG 1852 CT	12,990	☐ LMCF 1852 CT	13,300	☐ LMVI 1852 CT	14,380

STEP 2. Select a single hob top option for position A, (to be fitted on the left hand side of the hob, over the oven).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640	2 induction rings	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730	Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650			
2 x 3 kW burner	☐ LAG 020 R	730	Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890			
2 x 4 kW burner	☐ LAG 024 R	780	Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830			
			Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270			

STEP 3. Select cupboard or simmer oven for position C, on left hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L

Simmer oven ☐ ETL 001

(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L

Side Dual Function Electric Oven

☐ CTL 001 750

(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 4. Select a single hob top option for position B, (to be fitted on the right hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge
1 x 5 kW burner	☐ LAG 010 UR	730
2 x 3 kW burner	☐ LAG 020 R	730
2 x 4 kW burner	☐ LAG 024 R	780

	Code	Guide Price £ Inc VAT
Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640
Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650
Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890
Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830
Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270

	Code	Guide Price £ Inc VAT
2 induction rings	☐ LAE 020 I	1,530

STEP 5. Select cupboard or simmer oven for position D, on right hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L

Simmer oven ☐ ETL 001

(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L

Side Dual Function Electric Oven

☐ CTL 001 750

(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 6. Select colour finish, trims, nature of gas and cooker height.

Colour Choice

Please specify

.....

Required with stainless steel control panel? ☐

Trims	**Code**	
Chrome	☐ LF 1852 CR	£0
Brushed steel	☐ LF 1852 S	£0

Nature of gas	**Code**
LPG Gas	☐ LPG
Natural Gas	☐ NG
Voltage	☑ 230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm	☐ **LRF 18-900**	**£0**
Plinth for height 915mm to 929mm	☐ LRF 18-915	£620
Plinth for height 930mm to 944mm	☐ LRF 18-930	£630
Plinth for height 945mm to 959mm	☐ LRF 18-945	£650
Plinth for height 960mm to 974mm	☐ LRF 18-960	£800





Classic hob 5 burners
(LMG)



Traditional hob 5 burners
(5kW burner under simmer plate)
(LMCF)



Induction hob 5 rings
(LMVI)

STEP 1. Select main hob top and oven.

			Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 20L	1 x 56L	1 x 52L	☐ LMG 1853 GE	13,410	☐ LMCF 1853 GE	13,660		
1 x 20L	1 x 56L	1 x 56L	☐ LMG 1853 EE	13,510	☐ LMCF 1853 EE	13,760	☐ LMVI 1853 EE	14,910
1 x 20L	1 x 51L	1 x 52L	☐ LMG 1853 GCT	13,610	☐ LMCF 1853 GCT	13,860		
1 x 20L	1 x 51L	1 x 56L	☐ LMG 1853 ECT	13,710	☐ LMCF 1853 ECT	13,960	☐ LMVI 1853 ECT	15,010
1 x 20L	1 x 51L	1 x 51L	☐ LMG 1853 CT	13,860	☐ LMCF 1853 CT	14,110	☐ LMVI 1853 CT	15,160

STEP 2. Select a single hob top option for position (A), (to be fitted on the left hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640	2 induction rings	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730	Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650			
2 x 3 kW burner	☐ LAG 020 R	730	Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890			
2 x 4 kW burner	☐ LAG 024 R	780	Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830			
			Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270			

STEP 3. Select cupboard or simmer oven for position C, on left hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L

Simmer oven ☐ ETL 001

(included as standard - cannot be fitted under electric fryer or multi-cooker)

STEP 4. Select a single hob top option for position B, (to be fitted on the right hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640	2 induction rings	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730	Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650			
2 x 3 kW burner	☐ LAG 020 R	730	Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890			
2 x 4 kW burner	☐ LAG 024 R	780	Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830			
			Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270			

STEP 5. Select cupboard or simmer oven for position D, on right hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L

Simmer oven ☐ ETL 001

(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L

Side Dual Function Electric Oven

☐ CTL 001 750

(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 6. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....
Required with stainless steel control panel? ☐

Trims	**Code**	
Chrome	☐ LF 1853 CR	£0
Brushed steel	☐ LF 1853 S	£0

Nature of gas	**Code**
LPG Gas	☐ LPG
Natural Gas	☐ NG
Voltage	☑ 230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm	☐ **LRF 18-900**	**£0**
Plinth for height 915mm to 929mm	☐ LRF 18-915	£620
Plinth for height 930mm to 944mm	☐ LRF 18-930	£630
Plinth for height 945mm to 959mm	☐ LRF 18-945	£650
Plinth for height 960mm to 974mm	☐ LRF 18-960	£800





Classic hob 3 burners
(LMG)



Classic hob 4 burners
(LMG)



Traditional hob 3 burners
(5kW burner under simmer plate)
(LMCF)



Induction hob 3 rings
(LMVI)

STEP 1. Select main hob top and oven.

		Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 70L	1 x 70L	☐ LMG 1832 G-G	13,220	☐ LMG 1842 G-G	13,260	☐ LMCF 1832 G-G	13,560		
1 x 70L	1 x 67L	☐ LMG 1832 GCT-G	13,690	☐ LMG 1842 GCT-G	13,790	☐ LMCF 1832 GCT-G	13,940		
1 x 67L	1 x 67L	☐ LMG 1832 CT-G	14,230	☐ LMG 1842 CT-G	14,330	☐ LMCF 1832 CT-G	14,480	☐ LMVI 1832 CT-G	14,830

STEP 2. Select a single hob top option for position A, (to be fitted on the left hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640	2 induction rings	☐ LAE 020 I	1,530
1 x 5 kW burner	☐ LAG 010 UR	730	Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650			
2 x 3 kW burner	☐ LAG 020 R	730	Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890			
2 x 4 kW burner	☐ LAG 024 R	780	Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830			
			Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270			

STEP 3. Select cupboard or simmer oven for position D, on left hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L Simmer oven ☐ ETL 001
(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L Side Dual Function Electric Oven
☐ CTL 001 750
(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 4. Select a single hob top option for position B, (to be fitted on the left hand side of the hob).

	Code	Guide Price £ Inc VAT
S. Steel worktop ☐	LAA 010 N	no charge
2 x 3 kW burner ☐	LAG 020 R	730
(Can only be fitted next to gas hobs LG and LCF)		
2 x 4 kW burner ☐	LAG 024 R	780
(Can only be fitted next to gas hobs LG and LCF)		
2 induction rings ☐	LAE 020 I	1,530
(Cannot be fitted next to a simmer plate LCF or placed above a gas oven)		

STEP 5. Select a single hob top option for position C, (to be fitted on the right hand side of the hob).

	Code	Guide Price £ Inc VAT
S. Steel worktop ☐	LAA 010 N	no charge
2 x 3 kW burner ☐	LAG 020 R	730
(Can only be fitted next to gas hobs LG and LCF)		
2 x 4 kW burner ☐	LAG 024 R	780
(Can only be fitted next to gas hobs LG and LCF)		
Electric Plancha - 2.2 kW ☐	LAE 010 TPK	1,640
2 induction rings ☐	LAE 020 I	1,530
(Cannot be fitted above a gas oven)		

STEP 1. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....
Required with stainless steel control panel? ☐

Trims	**Code**	
Chrome ☐	LF 1832 CR	£0
Brushed steel ☐	LF 1832 S	£0

Nature of gas	**Code**
LPG Gas ☐	LPG
Natural Gas ☐	NG
Voltage ☑	230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm ☐	**LRF 18-900**	**£0**
Plinth for height 915mm to 929mm ☐	LRF 18-915	£620
Plinth for height 930mm to 944mm ☐	LRF 18-930	£630
Plinth for height 945mm to 959mm ☐	LRF 18-945	£650
Plinth for height 960mm to 974mm ☐	LRF 18-960	£800





Classic hob 3 burners
(LMG)



Classic hob 4 burners
(LMG)



Traditional hob 3 burners
(5kW burner under simmer plate)
(LMCF)



Induction hob 3 rings
(LMVI)

STEP 1. Select main hob top and oven.

	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 70L / 1 x 70L	☐ LMG 1832 G-D	13,220	☐ LMG 1842 G-D	13,260	☐ LMCF 1832 G-D	13,560		
1 x 70L / 1 x 67L	☐ LMG 1832 GCT-D	13,690	☐ LMG 1842 GCT-D	13,790	☐ LMCF 1832 GCT-D	13,940		
1 x 67L / 1 x 67L	☐ LMG 1832 CT-D	14,230	☐ LMG 1842 CT-D	14,330	☐ LMCF 1832 CT-D	14,480	☐ LMVI 1832 CT-D	14,830

STEP 2. Select a single hob top option for position A, (to be fitted on the left hand side of the hob). You cannot have Induction or the Plancha next to the Classic Hob 3 Burner and the Traditional Hob 3 Burner

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	2 x 4 kW burner	☐ LAG 024 R	780	2 induction rings	☐ LAE 020 I	1,530
2 x 3 kW burner	☐ LAG 020 R	730	*(Can only be fitted next to gas hobs LG and LCF)*			*(Cannot be fitted above a gas oven)*		
(Can only be fitted next to gas hobs LG and LCF)			Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640			

STEP 3. Select a single hob top option for position B, (to be fitted on the right hand side of the hob).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	2 x 4 kW burner	☐ LAG 024 R	780	2 induction rings	☐ LAE 020 I	1,530
2 x 3 kW burner	☐ LAG 020 R	730	*(Can only be fitted next to gas hobs LG and LCF)*			*(Cannot be fitted above a gas oven)*		
(Can only be fitted next to gas hobs LG and LCF)			Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640			

STEP 4. Select a single hob top option for position C, (to be fitted on the right hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge
1 x 5 kW burner	☐ LAG 010 UR	730
2 x 3 kW burner	☐ LAG 020 R	730
2 x 4 kW burner	☐ LAG 024 R	780

	Code	Guide Price £ Inc VAT
Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640
Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650
Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890
Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830
Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270

	Code	Guide Price £ Inc VAT
2 induction rings	☐ LAE 020 I	1,530

STEP 5. Select cupboard or simmer oven for position D, on right hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L Simmer oven ☐ ETL 001
(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L Side Dual Function Electric Oven
☐ CTL 001 750
(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 6. Select colour finish, trims, nature of gas and cooker height.

Colour Choice
Please specify
.....
Required with stainless steel control panel? ☐

Trims	**Code**	
Chrome ☐	LF 1832 CR	£0
Brushed steel ☐	LF 1832 S	£0

Nature of gas	**Code**
LPG Gas ☐	LPG
Natural Gas ☐	NG
Voltage ☑	230 V

Cooker Height	**Code**	
Plinth Standard 900mm to 914mm ☐	**LRF 18-900**	**£0**
Plinth for height 915mm to 929mm ☐	LRF 18-915	£620
Plinth for height 930mm to 944mm ☐	LRF 18-930	£630
Plinth for height 945mm to 959mm ☐	LRF 18-945	£650
Plinth for height 960mm to 974mm ☐	LRF 18-960	£800

VEZELAY *Modern* 2205mm wide range cooker





Classic hob 3 burners
(LMG)



Classic hob 4 burners
(LMG)



Traditional hob 3 burners
(5kW burner under simmer plate)
(LMCF)



Induction hob 3 rings
(LMVI)

STEP 1. Select main hob top and oven.

		Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT	Code	Guide Price £ Inc VAT
1 x 70L	1 x 70L	☐ LMG 2232 G	16,660	☐ LMG 2242 G	17,000	☐ LMCF 2232 G	17,440		
1 x 70L	1 x 67L	☐ LMG 2232 GCT	16,820	☐ LMG 2242 GCT	17,340	☐ LMCF 2232 GCT	17,520		
1 x 67L	1 x 67L	☐ LMG 2232 CT	17,560	☐ LMG 2242 CT	17,640	☐ LMCF 2232 CT	17,720	☐ LMVI 2232 CT-D	18,650

STEP 2. Select a single hob top option for position A, (to be fitted on the left hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT		Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge	Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640	Multi cooker - Steamer Pasta Boiler - Bain Marie 3.5 kW	☐ LAE 010 CV	2,270
1 x 5 kW burner	☐ LAG 010 UR	730	Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650			
2 x 3 kW burner	☐ LAG 020 R	730	Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890	2 induction rings	☐ LAE 020 I	1,530
2 x 4 kW burner	☐ LAG 024 R	780	Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830			

STEP 3. Select cupboard or simmer oven for position E, on left hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L

Simmer oven ☐ ETL 001
(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L

Side Dual Function Electric Oven
☐ CTL 001 750
(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 4. Select a single hob top option for position B, (to be fitted on the left hand side of the hob).

	Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge
2 x 3 kW burner	☐ LAG 020 R	730
(Can only be fitted next to gas hobs LG and LCF)		
2 x 4 kW burner	☐ LAG 024 R	780
(Can only be fitted next to gas hobs LG and LCF)		
2 induction rings	☐ LAE 020 I	1,530
(Cannot be fitted next to a simmer plate LCF or placed above a gas oven)		

STEP 5. Select a single hob top option for position C, (to be fitted on the right hand side of the hob).

	Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge
2 x 3 kW burner	☐ LAG 020 R	730
(Can only be fitted next to gas hobs LG and LCF)		
2 x 4 kW burner	☐ LAG 024 R	780
(Can only be fitted next to gas hobs LG and LCF)		
Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640
2 induction rings	☐ LAE 020 I	1,530
(Cannot be fitted above a gas oven)		

STEP 6. Select a single hob top option for position D, (to be fitted on the right hand side of the hob, over the cupboard).

	Code	Guide Price £ Inc VAT
S. Steel worktop	☐ LAA 010 N	no charge
1 x 5 kW burner	☐ LAG 010 UR	730
2 x 3 kW burner	☐ LAG 020 R	730
2 x 4 kW burner	☐ LAG 024 R	780
Electric Plancha - 2.2 kW	☐ LAE 010 TPK	1,640
Electric Fryer - 6 L - 3 kW	☐ LAE 413 FR	1,650
Gas Chargrill - 4 kW	☐ LAG 010 CKG	1,890
Electric Chargrill - 2.5 kW	☐ LAE 010 CKG	1,830
Multi cooker - Steamer	☐ LAE 010 CV	2,270
Pasta Boiler - Bain Marie 3.5 kW		
2 induction rings	☐ LAE 020 I	1,530

STEP 7. Select cupboard or simmer oven for position F, on right hand side or optional Dual Function Electric Oven.

Neutral cupboard ☐ NCL 001



1 x 79L Simmer oven ☐ ETL 001
(included as standard - cannot be fitted under electric fryer or multi-cooker)



1 x 65L Side Dual Function Electric Oven
☐ CTL 001 750
(cannot be fitted under electric fryer, multi-cooker or chargrill)

STEP 8. Select colour finish, trims, nature of gas and cooker height.

Colour Choice

Please specify

.....

Required with stainless steel control panel? ☐

Trims	Code	
Chrome	☐ LF 2232 CR	£0
Brushed steel	☐ LF 2232 S	£0

Nature of gas	Code
LPG Gas	☐ LPG
Natural Gas	☐ NG
Voltage	☑ 230 V

Cooker Height	Code	
Plinth Standard 900mm to 914mm	☐ **LRF 22-900**	**£0**
Plinth for height 915mm to 929mm	☐ LRF 22-915	£720
Plinth for height 930mm to 944mm	☐ LRF 22-930	£730
Plinth for height 945mm to 959mm	☐ LRF 22-945	£750
Plinth for height 960mm to 974mm	☐ LRF 22-960	£820



LACANCHE SALAMANDER & ROTISSERIE

WALL MOUNTED SALAMANDER GRILL & ROTISSERIE (W)550 (H)475 (D)500mm



For grilling and roasting meats and fish, nothing comes close to the convenience and performance of the salamander. This is also true for the browning of gratins or desserts: the salamander is second to none for turning out perfect 'crèmes brûlées', topped with the traditional caramelised sugar crust. The electric revolving spit makes grilling and roasting in the genuine French tradition a breeze. The salamander is wall-mounted. It is available in stainless steel, black or in a choice of enamelled colours.

- Salamander electric grill with wall-mounting bracket.
- Nominal power: 3 kW. Power supply: 230/240 V.
- Integrated timer (0 -120 minutes).
- Power supply cable included (without plug).
- Wall-mounting bracket included.
- Adjustable rack (4 different heights) for 1/1 'Gastronorm', sized dishes.
- A 60 mm deep 1/1 'Gastronorm' pan and a grill insert are supplied with the salamander.
- Dimensions (mm): W550 x H 475 x D 500.
- Choose colour and trim

Includes Rotisserie:

- Revolving spit with rack-mounted stand.
- The electric spit is supplied with standard power cable and plug.
- Supplied with adjustable forks for securing joints in place.

Classic



Modern



Classic Wall Mounted Salamander Grill & Rotisserie

	Code	Guide Price £ Inc VAT
Classic Salamander Rotisserie	☐ LSE 610 TB	2,090

Please specify Colour and Trim

Colour choice
Please specify .....

Trims	**Code**
Brass	☐ LF 610
Chrome	☐ LF 610 CR
Chrome matt	☐ LF 610 CM
Brushed stainless steel	☐ LF 610 S
Nickel	☐ LF 610 N

Modern Wall Mounted Salamander Grill & Rotisserie

	Code	Guide Price £ Inc VAT
Modern Salamander Rotisserie	☐ LMSE 610 TB	2,090

Please specify Colour and Trim

Colour choice
Please specify .....

Trims	**Code**
Chrome	☐ LM 610 CR
Brushed stainless steel	☐ LM 610 S



LACANCHE ACCESSORIES



SMALL TRIVET.

To go above 1.5 kW, 3 kW and 4 kW burners to allow the use of small pans.

Ref:	LRG	£ 33



LARGE TRIVET.

To go above the large 5 kW classic open burner to allow the use of small pans.

Ref:	LGRC	£ 46



WOK RING.

For supporting cookware with spherical bases. This accessory made of enamelled cast iron, supports wok bowl or similar utensils. It can sit over all gas burners (classic and traditional hobs).

Ref:	WOKL	£ 115



BLACK BURNER CAPS.

The black burner caps sit on top of the brass burners. They are finished in black enamel and are able to withstand the high temperature of the burners.

1.5kW Burner - Dia 55mm	Ref: LCB150	£ 18
3kW Burner - Dia 72mm	Ref: LCB300	£ 19
4kW Burner - Dia 90mm	Ref: LCB400	£ 19
5kW Burner - Dia 107mm	Ref LCB500	£ 21



RIDGED GRIDDLE PLATE.

Enamelled cast iron ridged griddle plate which sits over two burner pan stand set; it is perfect for searing and then cooking through meats with the minimum of added fats. The optimal heat for searing or cooking through can be obtained simultaneously on both ends of the plate by adjusting each of the two burners accordingly.
Dimensions: 510 x 260 mm.

Ref:	GR2	£ 275



SMOOTH GRIDDLE PLATE.

Enamelled cast iron plate which sits over two burner set pan stand; it is ideal for English breakfasts, fried eggs, Welsh cakes etc. By adjusting each of the two burners, it is easy to fine-tune the heat of this sizeable plate.
Dimensions: 500 x 210 mm.

Ref:	GSL	£ 325



SIMMER PLATE.

This enamelled cast iron plate sits over two burner set pan stand. It provides a gentle, constant heat that can be easily adjusted by changing the pan's position. Ideally suited for cooking which requires a long simmer time and for keeping cooked food warm.
Dimensions: 510 x 260 mm.

Ref:	PCF-1	£ 240



TRADITIONAL HOB COVER.

Stainless steel cover for Traditional hob when not in use.

Ref:	LCPCF	£ 240







MULTI COOKER ACCESSORIES.

As standard the Multi Cooker is supplied with a large steaming tray, and lid. Additional steamer trays, pasta baskets and Bain Marie containers for the Multi Cooker are available in large, medium and small sizes. They may be used in various combinations. (shown in Diagram A on right):



Dimensions are as follows:

Large :	354 x 325 mm - H 100 - Cap:	8.7 Litres
Medium :	325 x 176 mm - H 100 - Cap:	3.7 Litres
Small :	176 x 162 mm - H 100 - Cap:	1.7 Litres

PERFORATED GASTRO CONTAINERS WITH LID.

(for Multi Cooker - steaming)
These are for use in steaming food. They are available in two sizes and can be used in two combinations below:



Large Ref:	BPGN 2/3	£ 150
Medium Ref:	BPGN 1/3	£ 100

GASTRO CONTAINERS WITH LID.

(for Multi Cooker–Bain Marie)
These are used as Bain Marie. Choose a combination to suit your requirements from below:



Large Ref:	23-GN 2/3	£ 90
Medium Ref:	23-GN 1/3	£ 80
Small Ref:	23-GN 1/6	£ 60

Diagram A



PASTA BASKETS.

(for Multi Cooker – pasta boiling)
These permit vegetables and pasta to be cooked in the multi cooker. Easy to handle, these perforated baskets allow water to drain. They are available in three sizes, allowing for four different combinations below:



Medium Ref:	23 LPP 2	£ 230
Small Ref:	23 LPP 4	£ 150



OVEN ACCESSORIES

	Oven racks						Roasting Dish		XL Roasting Dish		Grill insert	
												
	GF (flat)		GFD (dropped)		GFA (anti-tilt)		Code		Code		GT insert for roasting tray	
Oven 51L, 52L & 56L	Code	Price	Code	Price	Code	Price	Code	Price	Code	Price	Code	Price
Beaune-Bussy	44GF040	£36	GFD400	£38	GFA400	£38	PR040	£73	-	-	GT1	£23
Cluny-Macon	44GF040	£36	GFD400	£38	GFA400	£38	PR040	£73	-	-	GT1	£23
Charlieu-Chablis	44GF040	£36	GFD400	£38	GFA400	£38	PR040	£73	-	-	GT1	£23
Chaussin-Chemin	44GF040	£36	GFD400	£38	GFA400	£38	PR040	£73	-	-	GT1	£23
Flavigny-Avalon	44GF040	£36	GFD400	£38	GFA400	£38	PR040	£73	-	-	GT1	£23
Oven 67L, 70L & 75L	Code	Price	Code	Price	Code	Price	Code	Price	Code	Price	Code	Price
Cormatin-Rully	GF530	£43	GFD530	£44	GFA530	£45	PR530	£148	PXL530	£165	GT2	£34
Vougeot-Volnay	GF530	£43	GFD530	£44	GFA530	£45	PR530	£148	PXL530	£165	GT2	£34
Saulieu-Savigny	GF530	£43	GFD530	£44	GFA530	£45	PR530	£148	PXL530	£165	GT2	£34
Chalonnais	GF530	£43	GFD530	£44	GFA530	£45	PR530	£148	PXL530	£165	GT2	£34
Citeaux	GF530	£43	GFD530	£44	GFA530	£45	PR530	£148	PXL530	£165	GT2	£34
Bligny-Belmont	GF530	£43	GFD530	£44	GFA530	£45	PR530	£148	PXL530	£165	GT2	£34
Vezelay	GF530	£43	GFD530	£44	GFA530	£45	PR530	£148	PXL530	£165	GT2	£34
Vertical Oven 65L	Code	Price	Code	Price	Code	Price	Code	Price	Code	Price	Code	Price
Saulieu-Savigny	GF325	£38	-	-	GFA325	£38	PR325	£73	-	-	GT3	£36
Citeaux	GF325	£38	-	-	GFA325	£38	PR325	£73	-	-	GT3	£36
Beaune-Bussy	GF325	£38	-	-	GFA325	£38	PR325	£73	-	-	GT3	£36
Vertical Oven 49L Pre-January 2016	Code	Price	Code	Price	Code	Price	Code	Price	Code	Price	Code	Price
Saulieu-Savigny	-	-	-	-	GFA290	£37	PR290	£68	-	-	GT3	£36
Citeaux	-	-	-	-	GFA290	£37	PR290	£68	-	-	GT3	£36
Simmer Oven	Code	Price	Code	Price	Code	Price	Code	Price	Code	Price	Code	Price
All Simmer Ovens	GF1530	£39	-	-	-	-	-	-	-	-	-	-


LACANCHE
Fourneaux de France



LACANCHE EXTRACTION

Lacanche Classic Citeaux In Burgundy Red enamel with a Lacanche Brasseire extractor
Kitchen Furniture by The Main Company www.themaincompany.co.uk

EXTRACTION - BRASSERIE HOOD

Available in the following sizes:
900mm, 1000mm, 1100mm, 1400mm, 1500mm, 1800mm and 2200mm.

Colour Finishes: Any Lacanche colour or stainless steel – due to the enamelling process there maybe be shading differences between the colour of the extractor and the Lacanche range.

Height Requirements:
Minimum distance from top of cooker to hood 800mm
Maximum distance from top of cooker to hood 900mm
Distance from top of cooker using Lacanche splash back 850mm

Remote motors SEM1, SEM2 and SEM8 are additional charge.



FMH - Brasserie Hood (coloured, French style hood in various widths)



Macon *Classic*



Single Internal Motor

	Code	Guide Price & Inc. VAT
☐	FMH 700S	2,460
☐	FMH 900S	2,620
☐	FMH 1000S	2,690
☐	FMH 1100S	2,790
☐	FMH 1400S	3,190
☐	FMH 1500S	3,260
☐	FMH 1800S	3,660
☐	FMH 2200S	3,930

Requires 1 x 150mm Ø Duct

Twin Internal Motor

	Code	Guide Price & Inc. VAT
☐	FMH 1000T	2,890
☐	FMH 1100T	2,980
☐	FMH 1400T	3,390
☐	FMH 1500T	3,490
☐	FMH 1800T	3,880
☐	FMH 2200T	4,190

Requires 2 x 150mm Ø Ducts

Recirculating with Internal Motor

	Code	Guide Price & Inc. VAT
☐	FMH 700R	2,720
☐	FMH 900R	2,850
☐	FMH 1000R	3,090
☐	FMH 1100R	3,190
☐	FMH 1400R	3,690
☐	FMH 1500R	3,880
☐	FMH 1800R	4,310
☐	FMH 2200R	4,850

No Ducting required

EM to be used with External Motor

	Code	Guide Price & Inc. VAT
☐	FMH 900EM	2,320
☐	FMH 1000EM	2,390
☐	FMH 1100EM	2,520
☐	FMH 1400EM	2,920
☐	FMH 1500EM	3,030
☐	FMH 1800EM	3,440
☐	FMH 2200EM	3,720

Requires 1 x 150mm Ø Duct

Brasserie Hood Optional Motors



SEM1 - Internal remote motor 750m3h



SEM2 - External remote motor 750m3h



SEM8 - Internal remote motor 848m3h

	Code	Guide Price & Inc. VAT
☐	SEM1	470
☐	SEM2	850
☐	SEM8	860

Specify Colour:

Select Trim: ☐ Brass ☐ Chrome ☐ Chrome Matt ☐ Nickel ☐ Stainless Steel

For Ducting see page 90

EXTRACTION - MODERNE HOOD

Available in the following sizes:
900mm, 1000mm, 1100mm, 1400mm, 1500mm, 1800mm and 2200mm.

Colour Finishes: Any Lacanche colour or stainless steel – due to the enamelling process there maybe be shading differences between the colour of the extractor and the Lacanche range

Height Requirements:
Minimum distance from top of cooker to hood 800mm
Maximum distance from top of cooker to hood 900mm
Distance from top of cooker using Lacanche splash back 850mm

Remote motors SEM1, SEM2 and SEM8 are additional charge.



FMOD - Café Moderne (coloured, contemporary style hood in various widths)



Macon *Modern*





Single Internal Motor

	Code	Guide Price & Inc. VAT
☐	FMOD 700S	2,460
☐	FMOD 900S	2,620
☐	FMOD 1000S	2,690
☐	FMOD 1100S	2,790
☐	FMOD 1400S	3,190
☐	FMOD 1500S	3,260
☐	FMOD 1800S	3,660
☐	FMOD 2200S	3,930

Requires 1 x 150mm Ø Duct

Twin Internal Motor

	Code	Guide Price & Inc. VAT
☐	FMOD 1000T	2,890
☐	FMOD 1100T	2,980
☐	FMOD 1400T	3,390
☐	FMOD 1500T	3,490
☐	FMOD 1800T	3,880
☐	FMOD 2200T	4,190

Requires 2 x 150mm Ø Ducts

Recirculating with Internal Motor

	Code	Guide Price & Inc. VAT
☐	FMOD 700R	2,720
☐	FMOD 900R	2,850
☐	FMOD 1000R	3,090
☐	FMOD 1100R	3,190
☐	FMOD 1400R	3,690
☐	FMOD 1500R	3,880
☐	FMOD 1800R	4,310
☐	FMOD 2200R	4,850

No Ducting required

EM to be used with External Motor

	Code	Guide Price & Inc. VAT
☐	FMOD 900EM	2,320
☐	FMOD 1000EM	2,390
☐	FMOD 1100EM	2,520
☐	FMOD 1400EM	2,920
☐	FMOD 1500EM	3,030
☐	FMOD 1800EM	3,440
☐	FMOD 2200EM	3,720

Requires 1 x 150mm Ø Duct

Moderne Hood Optional Motors



SEM1 - Internal remote motor 750m3h



SEM2 - External remote motor 750m3h



SEM8 - Internal remote motor 848m3h

	Code	Guide Price & Inc. VAT
☐	SEM1	470
☐	SEM2	850
☐	SEM8	860

Specify Colour:

Select Trim: ☐ Brass ☐ Chrome ☐ Chrome Matt ☐ Nickel ☐ Stainless Steel

For Ducting see page 90

EXTRACTION - CLASSIC RANGE

Available in the following sizes:
900mm, 1000mm, 1100mm, 1400mm and 1500mm.

Height Requirements:
Minimum distance from top of cooker to hood 800mm
Maximum distance from top of cooker to hood 900mm
Distance from top of cooker using Lacanche splash back 850mm



Model shown FCE1500



Model shown FCE1000

FCE Classic Hood (coloured, classic style hood in various widths)

Single Internal Motor		
	Code	Guide Price & Inc. VAT
☐	FCE 900S	2,280
☐	FCE 1000S	2,350
☐	FCE 1100S	2,420
☐	FCE 1400S	3,050
☐	FCE 1500S	3,150
Requires 1 x 150mm Ø Duct		

Twin Internal Motor		
	Code	Guide Price & Inc. VAT
☐	FCE 1000T	2,580
☐	FCE 1100T	2,650
☐	FCE 1400T	3,250
☐	FCE 1500T	3,359
Requires 2 x 150mm Ø Ducts		

Recirculating with Internal Motor		
	Code	Guide Price & Inc. VAT
☐	FCE 900R	2,450
☐	FCE 1000R	2,780
☐	FCE 1100R	2,850
☐	FCE 1400R	3,550
☐	FCE 1400R	3,650
No Ducting required		



Specify Colour: _____ Select Trim: ☐ Brass ☐ Chrome ☐ Chrome Matt ☐ Nickel ☐ Stainless Steel

For Ducting see page 90

The FCE Classic Lacanche Extractor is not provided with a chimney section. A chimney can be ordered with to a maximum height up to 850mm. Please provide the height required at time of order.

FCE Chimney (height variable) stainless steel or colour to 850mm high £330.00

Low Profile / Contemporary Range

for 900mm and 1000mm wide models only

FMPS 1000





	Code	Guide Price £ Inc VAT
The low profile 900mm	☐ FMPS 900	1,030
The low profile 1000mm	☐ FMPS 1000	1,050
Ducting required 150mm diameter see page 90		

Classic Economy Hood

for 1000mm wide models only

FCIS 1000





	Code	Guide Price £ Inc VAT
Classic economy 1000mm	☐ FCIS 1000	1,030
Ducting required 150mm diameter see page 90		

Bistro Hood

for 1000mm wide models only

BRH





	Code	Guide Price £ Inc VAT
The Bistro hood 1000mm	☐ BRH 1000	1,560
Ducting required 150mm diameter see page 90		


LACANCHE BUILT IN EXTRACTOR

Built-in Slimline Extractors

Built-in Slimline 900mm Single Motor Extractor

BFU900Slimline





Code		Guide Price £ Inc VAT
Built-in slimline fan unit 900mm	☐ BFUG900SLIMLINE	890
Ducting required 150mm diameter see page 90		

Built-in Slimline 1400mm Twin Motor Extractor

BFUG 1400 TWIN





Code		Guide Price £ Inc VAT
Built-in slimline fan unit 1400mm	☐ BFUG1400TWIN (2 x motors)	1,290
Ducting required 2 x 150mm See page 90		

Built-in Canopy Extractors

Built-In Pro 900mm Canopy Extractor

BFUG900INSERT





Code		Guide Price £ Inc VAT
Built-in canopy fan unit 900mm	☐ BFUG900INSERT	1,080
Ducting required 150mm diameter see page 90		

Built-in Pro 1200mm Canopy Extractor

BFUG1200INSETTWIN





Code		Guide Price £ Inc VAT
Built-in canopy fan unit 1200mm	☐ BFUG1200INSERTTWIN (2 x motors)	1,510
Ducting required 200mm diameter		

Built-in Slimline Extractors

Built-In Pro 1500mm Canopy Extractor

BFUG1500INSERTTWIN





	Code	Guide Price £ Inc VAT
Built-in canopy fan unit 1500mm	☐ BFUG1500INSERTTWIN (2 x motors)	1,620
Ducting required 200mm diameter		



LACANCHE BACKSPLASHES AND UTENSIL RACKS

Classic

BACKSPLASHES (WITH HOLES FOR UTENSIL RACK)

Code	Width	Height	Depth	Guide Price £ Inc VAT
BKWH 700	700	850	10	260
BKWH 900	900	850	10	270
BKWH 1000	1000	850	10	280
BKWH 1100	1100	850	10	290
BKWH 1400	1400	850	10	420
BKWH 1500	1500	850	10	440
BKWH 1800	1800	850	10	540
BKWH 2200	2200	850	10	890

Classic

BACKSPLASHES (NO HOLES)

Code	Width	Height	Depth	Guide Price £ Inc VAT
BK 700	700	850	10	260
BK 900	900	850	10	270
BK 1000	1000	850	10	280
BK 1100	1100	850	10	290
BK 1400	1400	850	10	420
BK 1500	1500	850	10	440
BK 1800	1800	850	10	540
BK 2200	2200	850	10	890

BACKSPLASHES AND UTENSIL RACKS



Classic

UTENSIL RACK IN BRASS

Code	Width	Guide Price £ Inc VAT
PR 700	700	250
PR 900	900	260
PR 1000	1000	280
PR 1100	1100	290
PR 1400	1400	310
PR 1500	1500	327
PR 1800	1800	440
PR 2200	2200	490

Classic

UTENSIL RACK IN CHROME

Code	Width	Guide Price £ Inc VAT
PRCH 700	700	250
PRCH 900	900	260
PRCH 1000	1000	280
PRCH 1100	1100	290
PRCH 1400	1400	310
PRCH 1500	1500	327
PRCH 1800	1800	440
PRCH 2200	2200	490



1000 MM BACKSPLASH AND UTENSIL RACK PACKAGE

Code	Guide Price £ Inc VAT
BKWHPR-BR 1000 (BRASS)	470
BKWHPR-CH 1000 (CHROME)	470

HOOKS

Code	Guide Price £ Inc VAT
R01111 Additional Hooks x 5	30

BACK INFILL PANELS



With the back infill panel in place, a 70 mm space remains between the range and the wall. The overall depth of the appliance (rail not included) then reaches 720 mm (an increase of 70 mm). The back infill panel prevents excessive heat transfer to the wall and makes cleaning easier. It is especially recommended for all ranges equipped with gas ovens or those with tiles on the wall above the cooker.

Stove models	Reference	Guide price inc VAT
Cormatin-Rully	IP 700	£ 200
Beaune-Bussy	IP 900	£ 220
Cluny-Macon-Vougeot-Volnay	IP 1000	£ 220
Saulieu-Savigny	IP 1100	£ 220
Charlieu-Chablis-Chaussin-Chemin-Chalonnais	IP 1400	£ 240
Citeaux	IP 1500	£ 240
Flavigny-Avalon-Bligny-Belmont	IP 1800	£ 300
Vezelay	IP 2200	£ 300

EXTRACTION DUCTING

Flat Channel Ducting 180mm x 95mm Equivalent To 150mm Round

									
Ducting Kit: 3 metre flat channel ducting kit Complete with two 1 metre 180mm x 95mm flat channel ducts, Air brick, elbow, 90 degree horizontal bend, flexible ducting, wall plate and hose connectors	Flat Channel Ducting 1 metre 180mm x 95mm	Flat Channel Connector	Flat channel round to rectangular adapter	Flat channel Horizontal 90° Bend	Flat channel Vertical 90° Bend	Flat channel Elbow 90° Bend	Flat channel Flexible Bend	Flat channel wall plate	Flat channel clip
Code VVK668 Price £ 111	Code VKC651 Price £ 27	Code VKC652 Price £ 11	Code VKC650 Price £ 16	Code VKC654 Price £ 18	Code VKC653 Price £ 13	Code VKC655 Price £ 16	Code VVK676 Price £ 24	Code VKC657 Price £ 9	Code VKC664 Price £ 11

Round 150mm Ridged Ducting Systems

									
Ducting Kit: 150mm Round pipe 1 metre length 150mm Gravity Outlet Round Spigot 150mm Flexible Hose 1 metre length with connectors	150mm Round pipe 1 metre length	150mm Round pipe 2 metre length	150mm Round Elbow 90° Bend	150mm Round Connector	150mm Round Pipe Fixing Clip	150mm Round Wall Plate	150mm Threaded Hose Connector	150mm Round Connector with Damper	PVC Flexible Hose 152mm dia, 3 Metres (Netted) To Be used with VKC659
Code VVK689 Price £ 91	Code VKC670 Price £ 31	Code VKC673 Price £ 49	Code VKC360 Price £ 22	Code VKC365 Price £ 13	Code VKC442C Price £ 11	Code VKC661 Price £ 8	Code VVK659 Price £ 12	Code VKC363 Price £ 9	Code P0092/152/35 Price £ 18

Grills & Shutters

				
150mm Gravity Outlet Round Spigot	150mm Louvered Grille Round Spigot	150mm Stainless Steel Wall Outlet with Gravity Flaps	150mm Stainless Steel Bull-Nose Vent with Louvres	180 x 90mm Single Airbrick with Damper To be Used with Flat Channel Ducting
Code VKC292 Price £ 14	Code VKC275 Price £ 14	Code SS152 Price £ 44	Code SS150 Price £ 49	Code VKC662 Price £ 13

Notes:

For maximum efficiency, duct runs should be kept as short as possible Bends in the duct will degrade performance so the number of bends in a duct run should be kept minimum and be gradual and smooth.

Do not reduce the ducting diameter as this will result in the extractor not working and possible motor damage

Where possible for maximum extraction, the extractor should be mounted on an outside wall.

Do not install elbow VKC655 directly onto the motor spigot.

Flexible ducting should be kept to a minimum. It should only be used for short duct runs or the initial connection to the extractor, remote motor or exit shutter.

Flexible ducting must be pulled taut to prevent significant loss of performance.

Ridged ducting offers greater performance and is easy to install.

OVEN CAPACITIES AND INTERIOR DIMENSIONS

TYPE	kW DIM. L.	 GAS OVEN	 STATIC ELECTRIC OVEN	 CONVECTION ELECTRIC OVEN	 DUAL FUNCTION OVEN	 SIDE DUAL FUNCTION ELECTRIC OVEN	 GRILL / STATIC ELECTRIC OVEN	 SIMMER OVEN
Cormatin Rully	kW DIM. L.	4kW W.550 x H.288 x D.438 70L Cormatin only			2.95kW W.550 x H.291 x D.417 67L		2.2kW W.541 x H.115 x D.422 27L Rully only	
Beaune / Bussy	kW DIM. L.	3.5kW W.414 x H.288 x D.438 52L	2.2kW W.414 x H.291 x D.465 56L	2.65kW W.414 x H.291 x D.417 51L		2.65kW W.333 x H.458 x D.425 65L		
Cluny	kW DIM. L.	3.5kW W.414 x H.288 x D.438 52L	2.2kW W.414 x H.291 x D.465 56L	2.65kW W.414 x H.291 x D.417 51L				
Macon	kW DIM. L.	3.5kW W.414 x H.288 x D.438 52L	2.2kW W.414 x H.291 x D.465 56L	2.65kW W.414 x H.291 x D.417 51L			1.5kW W.405 x H.115 x D.422 20L	
Vougeot / Volnay	kW DIM. L.	4kW W.550 x H.288 x D.438 70L			2.95kW W.550 x H.291 x D.417 67L			0.95kW W.328 x H.452 x D.535 79L
Saulieu / Savigny	kW DIM. L.	4kW W.550 x H.288 x D.438 70L			2.95kW W.550 x H.291 x D.417 67L	2.65kW W.333 x H.458 x D.425 65L		
Charlieu / Chablis Chaussin / Chemin	kW DIM. L.	3.5kW W.414 x H.288 x D.438 52L	2.2kW W.414 x H.291 x D.465 56L	2.65kW W.414 x H.291 x D.417 51L		Optional 2.65kW W.333 x H.458 x D.425 65L Not available on Chaussin	1.5kW W.405 x H.115 x D.422 20L Chaussin/Chemin only	0.95kW W.328 x H.452 x D.535 79L
Chalonnais	kW DIM. L.	4kW W.550 x H.288 x D.438 70L			2.95kW W.550 x H.291 x D.417 67L			
Citeaux	kW DIM. L.	4kW W.550 x H.288 x D.438 70L			2.95kW W.550 x H.291 x D.417 67L	2.65kW W.333 x H.458 x D.425 65L		0.95kW W.328 x H.452 x D.535 79L or optional side oven
Flavigny Avalon	kW DIM. L.	3.5kW W.414 x H.288 x D.438 52L	2.2kW W.414 x H.291 x D.465 56L	2.65kW W.414 x H.291 x D.417 51L		Optional 2.65kW W.333 x H.458 x D.425 65L instead of simmer oven	1.5kW W.405 x H.115 x D.422 20L Avalon only	0.95kW W.328 x H.452 x D.535 79L
Bligny / Belmont	kW DIM. L.	4kW W.550 x H.288 x D.438 70L			2.95kW W.550 x H.291 x D.417 67L	Optional 2.65kW W.333 x H.458 x D.425 65L instead of simmer oven		0.95kW W.328 x H.452 x D.535 79L
Vezelay	kW DIM. L.	4kW W.550 x H.288 x D.438 70L			2.95kW W.550 x H.291 x D.417 67L	Optional 2.65kW W.333 x H.458 x D.425 65L instead of simmer oven		0.95kW W.328 x H.452 x D.535 79L

BEAUTIFUL ENAMELLED COLOURS

For your Lacanche *Classic* or *Modern* range cooker, choose from any of the 31 beautiful enamelled colours (or stainless steel), for a timeless finish created by our craftsmen.


Dark Blue


Portuguese Blue


Duck Blue


Prussian Blue


Teal Blue


Delft Blue


Green


Marron Glacé


Anise


Dark Olive


Light Olive

Lime Green

Silice


Frangipane

English Cream

Ivory

Chantilly


White


Provençal Yellow


Mandarin


Terracotta


Burgundy Red


Cherry Red


Plum

Rose Quartz


Chocolate


Anthracite


Slate Grey

Mist Grey


Stainless Steel


Black


Black Gloss

The colours illustrated above are an approximate likeness and should not be regarded as accurate. We recommend seeing a colour swatch before confirming your colour.

LACANCHE TRIMS

Classic

The trim of your Lacanche *Classic* refers to the finish of the control knobs, ends to the hand rail and door handles, the badge frame and drawer handles. The top towel rail and oven door rails are always stainless steel. The burner caps are always brass.

We offer 5 smart trims to finish your Lacanche Classic range cooker: brass, chrome, chrome matt, nickel and brushed stainless steel. Choose the trim to complement the colour of your cooker and the design of your kitchen.


Brass


Chrome


Nickel


Stainless Steel


Chrome Matt

Modern

The Lacanche *Modern* is available with a choice of two trims: chrome or brushed steel control knobs. The oven door handles are always stainless steel. The burner caps are always brass.


Chrome


Stainless Steel

TERMS AND CONDITIONS OF SALE AND SUPPLY

In these terms and conditions (Conditions) the following words and expressions shall have the following meanings:

Consumer rights: any rights that an individual Purchaser who is acting for purposes that are wholly or mainly outside that individual's trade, business, craft pr profession may have under the Consumer Rights Act 2015 or other legislation for the protection of consumers.

Contract: any contract between the Supplier and the Purchaser for the sale and purchase of the Products, incorporating the Conditions.

Delivery Point: the place where delivery of the Products is to take place under Condition 4.1.

Minimum Quantity: the minimum amount in pounds sterling to be payable by the Purchaser to the Supplier in respect of the purchase of Products (exclusive of packaging, loading, unloading, carriage, freight and insurance charges, VAT and other applicable taxes, duties or levies of any kind whatsoever) as specified in Appendix D in respect of each Year or another amount as may be agreed in writing between the parties in relation to each Year.

The Products: means any item of whatsoever nature or part thereof or service which is to be sold or supplied by the Supplier including any labelling and packaging as described in the order, including but not limited to Lacanche, Fornair and Alpes Inox products.

The Purchaser: means the person named in the order who buys or has agreed to buy the Products.

The Supplier: means Fourneaux de France Ltd whose registered office is at 3 Albion Close, Newtown Business Park, Poole Dorset BH12 3LL.

Warranty Validation Documents: means the Product registration documents duly completed by the Purchaser's customer(s) and returned, by post or on-line (as appropriate), to the Supplier in order to validate any additional warranty period from the contractual commencement date of the contract between the Purchaser and the Purchaser's customer.

Year: the period of 12 months from the date of execution of the Conditions by the Purchaser and each consecutive period of 12 months thereafter wherein a Contract is subject to the Conditions.

A reference to a law is a reference to it as it is in force for the time being taking account of any amendment, extension, application or re-enactment and includes any subordinate legislation for the time being in force made under it.

Words in the singular include the plural and in the plural include the singular.

A reference to one gender includes a reference to the other gender.

Condition headings do not affect the interpretation of the Conditions.

1 Order and Acceptance

1.1 Subject to any variation under Condition 1.3 the Contract shall be subject to and in accordance with the Conditions to the exclusion of all other terms and conditions (including any former terms and conditions in existence between the parties and any terms or conditions which the Purchaser purports to apply under any purchase order, confirmation of order, specification or other document).

1.2 No terms or conditions endorsed on, delivered with or contained in the Purchaser's purchase order, confirmation of order, specification or other document shall form part of the Contract simply as a result of such document being referred to in the Contract.

1.3 The Conditions apply to all the Supplier's sales and any variation to the Conditions and any representations about the Products shall have no effect unless expressly agreed in writing and signed by a director of the Supplier. The Purchaser acknowledges that it has not relied on any statement, promise or representation made or given by or on behalf of the Supplier which is not set out in the Contract. Nothing in this Condition shall exclude or limit the Supplier's liability for fraudulent misrepresentation.

1.4 Each order or acceptance of a quotation for Products by the Purchaser from the Supplier shall be deemed to be an offer by the Purchaser to buy Products subject to the Conditions.

1.5 No order placed by the Purchaser shall be deemed to be accepted by the Supplier until a written acknowledgement of order is issued by the Supplier or (if earlier) the Supplier delivers the Products to the Purchaser.

1.6 The Purchaser shall ensure that the terms of its order and any applicable specification are in writing, complete and accurate whilst specifying the names of the Products, the quantity required and the preferred delivery date.

1.7 Any quotation is given on the basis that no Contract shall come into existence until the Supplier despatches an acknowledgement of order to the Purchaser. Any quotation is valid for a period of 30 days only from its date, provided that the Supplier has not previously withdrawn it.

1.8 The Purchaser may not cancel or amend any order already accepted by the Supplier or return any non-defective Products without the Supplier's prior written consent.

In the event that the Supplier agrees to consent to the cancellation or amendment of an order already accepted by the Supplier, the Supplier reserves the right to charge the Purchaser cancellation or amendment charges (as applicable) which shall be respectively the price set out in the Supplier's list of "Cancellation Charges" or "Amendment Charges" published on the date of delivery or deemed delivery (such charges being exclusive of VAT and other applicable taxes, duties or levies of any kind whatsoever) (the published "Cancellation Charges" and "Amendment Charges" as at the date of execution of the Conditions by the Purchaser being appended at Appendix E).

The parties hereby confirm that the cancellation and amendment charges as set out at Appendix E represent a genuine pre-estimate of the loss that the Supplier would suffer in the event of such cancellation or amendments.

2 Prices

2.1 Unless otherwise agreed by the Supplier in writing, the price for the Products shall be the price set out in the Supplier's price list published on the date of delivery or deemed delivery (the published price list as at the date of execution of the Conditions by the Purchaser being appended at Appendix A).

2.2 Unless otherwise agreed in writing, the prices for Products are exclusive of packaging, loading, unloading, carriage, freight and insurance charges, VAT and other applicable taxes, duties or levies of any kind whatsoever, all of which are payable by the Purchaser in addition to the price.

3 Payment

3.1 Subject to Condition 11.2, payment shall be due on or before the 30th day after the date of invoice, such invoice to be rendered by the Supplier on or after the date of delivery or deemed delivery of the Products. Payment will be made by the Purchaser in pounds sterling by cheque made payable to Fourneaux de France Ltd, or by other method as agreed in writing.

3.2 Time for payment shall be of the essence.

3.3 No payment shall be deemed to have been received until the Supplier has received cleared funds.

3.4 The Purchaser shall make all payments due under the Contract in full without any deduction whether by way of set-off, counterclaim, discount, abatement or otherwise unless the Purchaser has a valid court order requiring an amount equal to such deduction to be paid by the Supplier to the Purchaser.

3.5 If the Purchaser fails to pay the Supplier any sum due pursuant to the Contract, the Purchaser shall be liable to pay interest to the Supplier on such sum from the due date for payment at the annual rate of 4% above the base lending rate from time to time of Barclays Bank plc, accruing on a daily basis until payment is made, whether before or after any judgment. The Supplier reserves the right to claim interest under the Late Payment of Commercial Debts (Interest) Act 1998.

4 Delivery and Non-Delivery

4.1 Unless otherwise agreed in writing by the Supplier, delivery of the Products shall take place at the Purchaser's customer's address as detailed on the invoice.

4.2 Any dates specified by the Supplier for delivery of the Products are intended to be an estimate and time for delivery shall not be made of the essence by notice. If no dates are so specified, delivery shall be within a reasonable time.

4.3 Subject to the other provisions of the Conditions the Supplier shall not be liable for any direct, indirect or consequential loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and similar loss), costs, damages, charges or expenses caused directly or indirectly by any delay in the delivery of the Products (even if caused by the Supplier's negligence), nor shall any delay entitle the Purchaser to terminate or rescind the Contract unless such delay exceeds 180 days.

4.4 In the event that the Supplier cannot supply the Purchaser from its existing stock of the Products, the Supplier shall place an order with its own factory and, thereafter, the Supplier shall send the Purchaser an acknowledgement of order with an estimated delivery date (the "Estimated Delivery Date").

4.5 The Purchaser shall take delivery of the Products within 10 working days of the later of: (i) the Estimated Delivery Date, or (ii) the date the Supplier gives notice to the Purchaser that the Products are ready for delivery.

4.6 If:

(a) for any reason the Purchaser fails to accept delivery of any of the Products within the timeframe set out at Condition 4.5 above; or

(b) the Supplier is unable to deliver the Products on time because the Purchaser is not contactable at its main business premises for a period of three consecutive working days or the Purchaser has not provided appropriate instructions, documents, licences or authorisations,

then at the earlier of such dates, the Supplier (entirely at its own discretion) may elect:

(a) to treat any such Products as 'free' stock and to sell such Products to any other purchaser; or

(b) that:

(i) risk in the Products pass to the Purchaser (including for loss or damage caused by the Supplier's negligence);

(ii) the Products be deemed to have been delivered;

(iii) the Supplier may duly invoice in accordance with Condition 3.1; and

(iv) the Supplier may store the Products until delivery, whereupon the Purchaser shall be liable for all related costs and expenses (including, without limitation, storage and insurance) (Charges in respect of storage alone for the Products shall be the price set out in the Supplier's list of "Storage Charges" published on the date of delivery or deemed delivery (such charges being exclusive of VAT and other applicable taxes, duties or levies of any kind whatsoever) (the published "Storage Charges" as at the date of execution of the Conditions by the Purchaser being appended at Appendix B).

4.7 Subject to any Consumer Rights that may apply, where the Purchaser elects for carriage from the Delivery Point to another location it shall do so entirely at its own risk in accordance with Condition 5.1. Charges in respect of carriage for the Products to such other location from the Delivery Point shall be the price set out in the Supplier's list of "Carriage Charges" published on the date of delivery or deemed delivery (such charges being exclusive of VAT and other applicable taxes, duties or levies of any kind whatsoever) (the published "Carriage Charges" as at the date of execution of the Conditions by the Purchaser being appended at Appendix C).

4.8 Without prejudice to Condition 4.7 and subject to any Consumer Rights that may apply, the Purchaser must check all Products for patent or visible damage prior to signing for them and any such damage must be noted on the delivery docket and reported to the Supplier in writing within 3 working days:

(a) of delivery; or

(b) (pursuant to carriage of the Products) of receipt of the Products by the Purchaser.

No claims for patent or visible damage to Products will be accepted by the Supplier if the procedure in this Condition 4.8 is not followed.

4.9 The Supplier may deliver the Products by separate instalments. Each separate instalment shall be invoiced and paid for in accordance with the provisions of the Contract.

4.10 Each instalment shall be a separate Contract and no cancellation or termination of any one Contract relating to an instalment shall entitle the Purchaser to repudiate or cancel any other Contract or instalment.

4.11 The quantity of any consignment of Products as recorded by the Supplier on delivery or despatch (where the Purchaser elects for carriage from the Delivery Point to the Purchaser's main business) respectively at or from the Supplier's place of business shall be conclusive evidence of the quantity received by the Purchaser on respectively delivery or actual receipt by the Purchaser unless the Purchaser can provide conclusive evidence proving the contrary.

4.12 Subject to any Consumer Rights that may apply, the Supplier shall not be liable for any non-delivery or non-receipt of Products (even if caused by the Supplier's negligence) unless the Purchaser gives written notice to the Supplier of the non-delivery or (where the Purchaser elects for carriage from the Delivery Point to the Purchaser's main business) non-receipt within 7 days of the date when the Products would in the ordinary course of events have been received.

4.13 Subject to any Consumer Rights that may apply, any liability of the Supplier for non-delivery, or non-receipt by the Purchaser, of the Products shall be limited to replacing the Products within a reasonable time or issuing a credit note at the pro rata Contract rate against any invoice raised for such Products.

5 Transfer of Title and Risk

5.1 The Products are at the risk of the Purchaser from the time of delivery or deemed delivery.

5.2 Ownership of the Products shall not pass to the Purchaser until the Supplier has received in full (in cash or cleared funds) all sums due to it in respect of:

(a) the Products; and

(b) all other sums which are or which become due to the Supplier from the Purchaser on any account.

5.3 Until ownership of the Products has passed to the Purchaser, the Purchaser shall:

(a) hold the Products on a fiduciary basis as the Supplier's bailee;

(b) store the Products (at no cost to the Supplier) separately from all other products of the Purchaser or any third party in such a way that they remain readily identifiable as the Supplier's property;

(c) not destroy, deface or obscure any identifying mark or packaging on or relating to the Products; and

(d) maintain the Products in satisfactory condition and keep them insured on the Supplier's behalf for their full price against all risks to the reasonable satisfaction of the Supplier. On request the Purchaser shall produce the policy of insurance to the Supplier.

5.4 The Purchaser may resell the Products before ownership has passed to it solely on the following Conditions:

(a) any sale shall be effected in the ordinary course of the Purchaser's business; and

(b) any such sale shall be a sale of the Supplier's property on the Purchaser's own behalf and the Purchaser shall deal as principal when making such a sale.

5.5 The Purchaser's right to possession of the Products shall terminate immediately if:

(a) the Purchaser has a bankruptcy order made against him or makes an arrangement or composition with his creditors, or otherwise takes the benefit of any statutory provision for the time being in force for the relief of insolvent debtors, or (being a body corporate) convenes a meeting of creditors (whether formal or informal), or enters into liquidation (whether voluntary or compulsory) except a solvent voluntary liquidation for the purpose only of reconstruction or amalgamation, or has a receiver and/or manager, administrator or administrative receiver appointed of its undertaking or any part thereof, or documents are filed with the court for the appointment of an administrator of the Purchaser or notice of intention to appoint an administrator is given by the Purchaser

or its directors or by a qualifying floating charge holder (as defined in paragraph 14 of Schedule B1 to the Insolvency Act 1986), or a resolution is passed or a petition presented to any court for the winding-up of the Purchaser or for the granting of an administration order in respect of the Purchaser, or any proceedings are commenced relating to the insolvency or possible insolvency of the Purchaser; or

(b) the Purchaser suffers or allows any execution, whether legal or equitable, to be levied on his/its property or obtained against him/it, or fails to observe or perform any of his/its obligations under the Contract or any other contract between the Supplier and the Purchaser, or is unable to pay its debts within the meaning of section 123 of the Insolvency Act 1986 or the Purchaser ceases to trade; or

(c) the Purchaser encumbers or in any way charges any of the Products (each event in Conditions 5.5(a) to (c) inclusive being an "Insolvency Event").

5.6 The Supplier shall be entitled to recover payment for the Products notwithstanding that ownership of any of the Products has not passed from the Supplier.

5.7 The Purchaser grants the Supplier, its agents and employees an irrevocable licence at any time to enter any premises where the Products are or may be stored in order to inspect them, or, where the Purchaser's right to possession has terminated, to recover them.

5.8 Where the Supplier is unable to determine whether any Products are the products in respect of which the Purchaser's right to possession has terminated, the Purchaser shall be deemed to have sold all products of the kind sold by the Supplier to the Purchaser in the order in which they were invoiced to the Purchaser.

5.9 On termination of the Contract, howsoever caused, the Supplier's (but not the Purchaser's) rights contained in this Condition 5 shall remain in effect.

6 Intellectual Property Rights

6.1 Save where the contrary is expressly provided for or indicated in respect of the Products delivered by the Supplier, the Purchaser shall leave in position and not cover, deface or erase any notices or other marks (including without limitation serial numbers and notices that a trade mark, design, patent or copyright relating to the Products is owned by the Supplier or a third party) which the Supplier may place on or affix to the Products.

6.2 The Purchaser shall not in any of its stationery nor by any sign at its premises or otherwise indicate that it is in any way connected with the Supplier other than that it is an appointed stockist of the Products.

6.3 The Purchaser acknowledges that all intellectual property rights in the Products shall continue to belong to the Supplier and Purchaser agrees that it will not infringe any of the Suppliers intellectual property rights in any publicity material including without limitation over the internet without the Supplier's written consent.

6.4 The Purchaser agrees to notify the Supplier as soon as it becomes aware of any third party infringement of the Supplier's intellectual property rights.

7 Warranties

7.1 The Supplier warrants to the Purchaser that all Products delivered to the Purchaser will be free of any defects in parts and workmanship for:

(a) a period of 12 months from the date of delivery or deemed delivery; and

(b) subject to the terms and conditions of the warranty or guarantee of the manufacturer of a particular Product, for any additional warranty period from the contractual commencement date of the contract between the Purchaser and the Purchaser's customer PROVIDED THAT such customer has duly completed and returned the Warranty Validation Documents.

7.2 Subject to any Consumer Rights that may apply, all samples, illustrations, colours, drawings and diagrams in the Supplier's catalogues, trade literature and other published matter are of a generally informative nature and approximate only and are subject to change without notice and none of these shall form part of any contract or give rise to any independent or collateral liability of whatsoever nature on the part of the Supplier.

7.3 The Supplier warrants that (subject to the other provisions of the Conditions) on delivery, the Products shall be:

(a) of satisfactory quality within the meaning of the section 9 of the Consumer Rights Act 2015;

(b) subject to any Consumer Rights that may apply, reasonably fit for any particular purpose for which the Products are being bought provided that the Purchaser had made known that purpose to the Supplier in writing and the Supplier has confirmed in writing that it is reasonable for the Purchaser to rely on the skill and judgement of the Supplier

7.4 Subject to any Consumer Rights that may apply, the Supplier shall not be liable for a breach of any of the warranties in Condition 7.1 or 7.3 unless:

(a) the Purchaser gives written notice of the defect to the Supplier:

(i) in respect of visible or patent damage in accordance with Condition 4.8; or

(ii) otherwise, within three working days of the time when the Purchaser discovers or ought to have discovered the defect; and

(b) the Supplier is given a reasonable opportunity after receiving the notice of examining such Products and the Purchaser (if asked to do so by the Supplier) returns such Products to the Supplier's place of business at the Supplier's cost for the examination to take place there.

7.5 The Supplier shall not be liable for a breach of any of the warranties in Condition 7.1 or 7.3 if:

(a) the Purchaser makes any further use of such Products after giving such notice; or

(b)the defect arises because the Purchaser failed to follow the Supplier's oral or written instructions as to the installation, storage, supply, maintenance and use of the Products or (if there are none) good trade practice; or

(c) the Purchaser alters or repairs such Products without the written consent of the Supplier.

8 Limitation of Liability

8.1 Subject to the provisions of Condition 4 and Condition 8.3 and any Consumer Rights that may apply,, the liability of the Supplier in respect of any breach of the warranties given in Condition 7, or any defect in or failure of any Products supplied, or any shortage in quantity of Products, or for any loss, injury or damage attributable directly or indirectly thereto shall be limited to (entirely at the Supplier's own discretion):

8.1.1 repairing defects or failures in the Products or making good the Products by replacement and delivering the repaired or replacement Products to the Purchaser (at the Supplier's expense), provided that the Supplier shall not be liable for the cost of any work or labour involved in fitting or refitting the Products or any part thereof; or

1.1.2 refunding any sums paid to the Supplier by the Purchaser for the Products, provided that the Supplier is reasonably satisfied that such defects or failure arose solely from the faulty design of the Products, defective materials or workmanship and that the Supplier shall not be liable in respect of defects to, or failure of, the Products caused by misuse or neglect of the Purchaser, accident or wear and tear.

8.2 Subject to any Consumer Rights that may apply, the Purchaser agrees that the Supplier shall not be liable:

8.2.1 for the cost of substitute goods, for any indirect or consequential loss (other than any provided for in Condition 8.1), for any loss of production, for any loss of profit or goodwill suffered or incurred by the Purchaser or any third parties, and for any costs, claims, expenses, loss or damage in excess of the Contract price for the Products or part thereof in respect of which a claim is made; or

8.2.2 in respect of any alterations made to the Products other than those made by the Supplier or its subcontractors; or

8.2.3 where the Products have been combined with, or incorporated into, other products; or

8.2.4 for any loss or damage arising from the Purchaser's design error or the Purchaser choosing the wrong or unsuitable Product for its purposes, save where the loss or damage arises solely out of the Supplier's negligence, as agreed by the Supplier.

8.3 Subject to Condition 8.4 and 8.5, the Supplier's total liability in contract, tort (including negligence or breach of statutory duty), misrepresentation, restitution or otherwise, arising in connection with the performance or contemplated performance of the Contract shall be limited to the Contract price.

8.4 Except as otherwise provided in these Conditions, all representations, guarantees, undertakings, conditions or warranties, express or implied, in tort or contract, statutory or otherwise in relation to the Products are hereby expressly excluded to the extent so permitted by law.

8.5 For the avoidance of doubt, nothing in these Conditions shall exclude or restrict the Supplier's liability:

8.5.1 for any fraudulent misrepresentation made to the Purchaser on which the Purchaser relied in entering into any Contract; or

8.5.2 in relation to any statutory implied conditions as to title in the Products, or

8.5.3 to any person for death or personal injury to that person resulting from the Supplier's negligence; or

1.1.4 under the Consumer Protection Act 1987 (or any replacement or re-enactment thereof) to a person who has suffered damage (as defined therein) caused wholly or partly by a defect in a Product or to a dependent or relative of such a person.

9 Indemnity

9.1 The Purchaser shall (and shall ensure that any third party to whom any Products may subsequently be supplied) comply with all instructions of the Supplier in relation to the installation, storage, supply, maintenance and use of the Products or (if there are none) good trade practice, and, except to the extent any of these are caused by the negligence of the Supplier, the Purchaser shall keep the Supplier fully and effectually indemnified against all costs, claims, demands, expenses and liabilities of whatsoever nature and wheresoever arising, including without limitation, claims for consequential loss and loss of profit which may be made against the Supplier arising out of the Purchaser's failure so to comply and/or to ensure that any third party to whom any Products have subsequently been supplied so complies.

10 Purchaser's further obligations

10.1 In addition to the Purchaser's obligations elsewhere as set out in the Conditions, the Purchaser shall:

10.1.1 at all times maintain a minimum of one Product supplied by the Supplier at all times in each of its showrooms; and

10.1.2 in each Year place orders with the Supplier in respect of the Minimum Quantity for that Year.

11 Termination

11.1 Without prejudice to any other rights to which it may be entitled, the Supplier may give notice in writing to the Purchaser terminating any or all Contracts with immediate effect if:

11.1.1 there is any default or breach of any of the Purchaser's obligations under these Conditions, including without limitation any failure to make any payments due under a Contract;

11.1.2 an Insolvency Event occurs; or

11.1.3 the Purchaser breaches its obligation under Condition 10.1.1 to at all times maintain a minimum of one Product supplied by the Supplier at all times in each of its showrooms; or

11.1.4 the Purchaser breaches its obligation under Condition 10.1.2 to, in each Year, place orders with the Supplier in respect of the Minimum Quantity for that Year (each event set out in Conditions 11.1.1 to 11.1.4 inclusive being a "Termination Event").

11.2 Following the termination of a Contract by the Supplier following a Termination Event, (a) all payments payable to the Supplier under the Contract shall become due immediately on its termination despite any other provision; and (b) any outstanding unpaid invoices rendered by the Supplier in respect of the Products shall become immediately due by the Purchaser, except where the Supplier exercises its rights under Conditions 11.2.1, 11.2.2 or 11.2.3 and invoices for Products ordered before termination but for which an invoice has not been submitted in which case such invoices will be due immediately on submission of the invoice, and the Supplier will be entitled to:

11.2.1 refuse to make delivery of any further consignment of any Products agreed to be supplied, including cancelling any outstanding delivery or stopping any Products in transit; and/or

11.2.2 cancel or suspend any Contract (either in whole or in part) by notice in writing to the Purchaser; and/or

11.2.3 sell or otherwise dispose of any Products which are the subject of any order by the Purchaser and apply the proceeds of sale to the overdue payment.

12 Assignment

12.1 The Purchaser may not assign or transfer or purport to assign or transfer any Contract or the benefit thereof to any person.

12.2 The Supplier may assign the Contract or any part of it to any person, firm or company.

13 Force Majeure

13.1 If the Supplier is prevented from fulfilling any order or Contract within a reasonable time by force majeure, it will notify the Purchaser of the delay. The Supplier shall be under no liability to the Purchaser and shall be entitled to extend the time or times for delivery or otherwise performing such Contract for so long as such cause of prevention or delay shall continue.

13.2 If the event of force majeure continues for a period of more than 3 months, both the Purchaser and the Supplier shall have the right on giving notice to the other to terminate any Contract.

13.3 For the purpose of these Conditions "force majeure" shall be deemed to be any cause affecting the performance of these Conditions arising from or attributable to acts, events, omissions or accidents beyond the reasonable control of the Supplier.

14 General

14.1 Each right or remedy of the Supplier under the Contract is without prejudice to any other right or remedy of the Supplier whether under the Contract or not.

14.2 If any provision of the Contract is found by any court, tribunal or administrative body of competent jurisdiction to be wholly or partly illegal, invalid, void, voidable, unenforceable or unreasonable it shall to the extent of such illegality, invalidity, voidness, voidability, unenforceability or unreasonableness be deemed severable and the remaining provisions of the Contract and the remainder of such provision shall continue in full force and effect.

14.3 Failure or delay by the Supplier in enforcing or partially enforcing any provision of the Contract shall not be construed as a waiver of any of its rights under the Contract.

14.4 Any waiver by the Supplier of any breach of, or any default under, any provision of the Contract by the Purchaser shall not be deemed a waiver of any subsequent breach or default and shall in no way affect the other terms of the Contract.

14.5 The parties to the Contract do not intend that any term of the Contract shall be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by any person that is not a party to it.

15 Law

15.1 Any and all Contracts shall be governed by and construed in accordance with the Laws of England and the Supplier and Purchaser submit to the non exclusive jurisdiction of the Courts of England.

16 Communications

16.1 All communications between the parties about the Contract shall be in writing and delivered by hand or sent by pre-paid first class post or sent by fax:

16.1.1 (in case of communications to the Supplier) to its registered office or such changed address as shall be notified to the Purchaser by the Supplier; or

16.1.2 (in the case of the communications to the Purchaser) to the registered office of the addressee (if it is a company) or (in any other case) to any address of the Purchaser set out in any document which forms part of the Contract or such other address as shall be notified to the Supplier by the Purchaser.

16.2 Communications shall be deemed to have been received:

16.2.1 if sent by pre-paid first class post, two days (excluding Saturdays, Sundays and bank and public holidays) after posting (exclusive of the day of posting); or

16.2.2 if delivered by hand, on the day of delivery; or

16.2.3 if sent by fax on a working day prior to 4.00 pm, at the time of transmission and otherwise on the next working day.

16.3 Communications addressed to the Supplier shall be marked for the attention of Steven Fielding.

UNIQUE COOKER BUILDER FROM LACANCHE

Create your dream Lacanche Range Cooker online



Choose your:

- Model
- Hob Type
- Oven Configuration
- Integrated Hob Elements
- Simmer Oven/Cupboard
- Colour
- Trim
- Hood

www.lacanche.co.uk



Serious Cookers for Serious Cooks™



Serious Cookers for Serious Cooks™

01202 733011 | www.lacanche.co.uk | info@fdef.co.uk

LACANCHE, BURGUNDY, FRANCE SINCE 1796

Fourneaux de France Ltd, 3 Albion Close, Newtown Business Park, Poole, Dorset BH12 3LL

12-2025

This brochure does not form the basis of a contract. Fourneaux de France reserves the right to alter this specification and pricing without prior notice. SERIOUS COOKERS FOR SERIOUS COOKS ™ is a registered trademark of Fourneaux de France Ltd.